



Networking Fundamentals

Pass Microsoft 98-366 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/98-366.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

What are two characteristics of fiber optic cable? (Choose two.)

- A. Conducts electricity
- B. Requires metal conduit
- C. Supports splicing
- D. Requires a polish for end connectors

Correct Answer: CD

C: A mechanical splice is a junction of two or more optical fibers that are aligned and held in place by a self-contained assembly (usually the size of a large carpenter\\'s nail).[1] The fibers are not permanently joined, just precisely held together so that light can pass from one to another.

D: Modern connectors typically use a "physical contact" polish on the fiber and ferrule end. This is a slightly convex surface with the apex of the curve accurately centered on the fiber, so that when the connectors are mated the fiber cores come into direct contact with one another.

Note: Optical fiber connectors are used to join optical fibers where a connect/disconnect capability is required. Due to the polishing and tuning procedures that may be incorporated into optical connector manufacturing, connectors are generally assembled onto optical fiber in a supplier/\'s manufacturing facility.

QUESTION 2

This question requires that you evaluate the underlined text to determine if it is correct.

The 802.11n wireless standard specifies a maximum data rate of 54 Mbps.

Review the underlined text. If it makes the statement correct, select "No change is needed." If the statement is incorrect, select the answer choice that makes the statement correct.

- A. 10 Mbps
- B. 11-128 Mbps
- C. 300-600 Mbps
- D. No change is needed

Correct Answer: C

QUESTION 3

What are two advantages of using star topology rather than ring topology in a computer lab workgroup? (Choose two.)

A. Failure of a central connectivity device does not bring down the entire network.



- B. A central connection point allows for flexibility and scalability.
- C. Data travels on redundant paths, so one cable cannot stop its transmission.
- D. A cable problem within the group affects two nodes, at most.

Correct Answer: BD

QUESTION 4

For each of the following statements, select Yes if the statement is true. Otherwise, select No. Each correct selection is worth one point.

Hot Area:

Answer Area

	Yes	No
Dynamic Routing provides the ability to add networks automatically by learning them from other RIP routers.	0	0
Dynamic Routing provides the ability to automatically remove routes from the routing table when other RIP neighbors delete them.	0	0
Dynamic Routing provides the ability to select the best route based on routing metrics.	0	0
Correct Answer:		
Answer Area		
	Yes	No
Dynamic Routing provides the ability to add networks automatically by learning them from other RIP routers.	0	0
Dynamic Routing provides the ability to automatically remove routes from the routing table when other RIP neighbors delete them.	0	0
Dynamic Routing provides the ability to select the best route based on routing metrics.	0	0



QUESTION 5

Which feature of Category 5e STP cable reduces external interference?

- A. Crosstalk
- B. Shielding
- C. Length
- D. Twisting
- Correct Answer: D

Twisted pair cabling is a type of wiring in which two conductors of a single circuit are twisted together for the purposes of canceling out electromagnetic interference (EMI) from external sources.

<u>98-366 PDF Dumps</u>

98-366 Study Guide

98-366 Exam Questions