



98-382^{Q&As}

Introduction to Programming Using JavaScript

Pass Microsoft 98-382 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/98-382.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

DRAG DROP You are creating a web page with a script. The script will insert the window's location inside the page's input element. How should you complete the code? To answer, drag the appropriate code segment to the correct locations. Each code segment may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to

view content.

Select and Place:

Code Segments

- window
- location
- document
- getElementById

Answer Area

```

<!DOCTYPE html>
<html>
<body>
  <input id="url" type="input" />
  <script>
    [ ] . [ ] ("url").value = [ ] . [ ] .href;
  </script>
</body>
</html>

```

Correct Answer:

Code Segments

-
-
-
-

Answer Area

```

<!DOCTYPE html>
<html>
<body>
  <input id="url" type="input" />
  <script>
    document . getElementById ("url").value = window . location .href;
  </script>
</body>
</html>

```

References: https://www.w3schools.com/js/js_window_location.asp

QUESTION 2

You are designing a web page with a script that must dynamically change the content of a paragraph element to display the value returned by the function randomQuote(). You have created the following code. Line numbers are included for reference only.



```
01 <!DOCTYPE html>
02 <html>
03 <body>
04 <p id="tester" onclick="changeText()">Click to change the content.</p>
05 <input type="button" value="Change Text" onclick="changeText()" />
06 <script>
07 function changeText() {
08
09 }
10 </script>
11 </body>
12 </html>
```

Which code segment should you use at line 08?

- A. `document.getElementById("tester").value = randomQuote();`
- B. `document.getElementById("tester").title = randomQuote();`
- C. `document.getElementById("tester").innerHTML = randomQuote();`
- D. `document.getElementById("tester").script = randomQuote();`

Correct Answer: C

References: https://www.w3schools.com/html/html_scripts.asp

QUESTION 3

HOTSPOT

You are evaluating a colleague's code to ensure it meets best practices.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:



Answer Area

	Yes	No
The characters <code>//</code> are used to mark a single line as a comment.	<input type="checkbox"/>	<input type="checkbox"/>
<code>totalscore</code> is in the correct format according to standard naming conventions for JavaScript.	<input type="checkbox"/>	<input type="checkbox"/>
<code>~score</code> can be used as a variable name.	<input type="checkbox"/>	<input type="checkbox"/>
<code>switch</code> can be used as a variable name.	<input type="checkbox"/>	<input type="checkbox"/>

Correct Answer:

Answer Area

	Yes	No
The characters <code>//</code> are used to mark a single line as a comment.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<code>totalscore</code> is in the correct format according to standard naming conventions for JavaScript.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<code>~score</code> can be used as a variable name.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<code>switch</code> can be used as a variable name.	<input type="checkbox"/>	<input checked="" type="checkbox"/>

References: https://www.w3schools.com/js/js_conventions.asp

QUESTION 4

DRAG DROP

A JavaScript array is initialized as follows:

```
var array = [20, 40, 60, 80];
```

You write the following code to manipulate the array:

```
array.shift();  
array.pop();  
array.push(10);  
array.unshift(100);
```

You need to determine the contents of the array.



Which four elements does the array contain in sequence? To answer, move the appropriate elements from the list of elements to the answer area and arrange them in the correct order.

Select and Place:

Elements		Answer area
10	<input type="button" value="➤"/> <input type="button" value="➤"/> <input type="button" value="➤"/> <input type="button" value="➤"/> <input type="button" value="➤"/> <input type="button" value="➤"/>	<input type="button" value="⬆"/> <input type="button" value="⬆"/> <input type="button" value="⬆"/> <input type="button" value="⬆"/> <input type="button" value="⬆"/> <input type="button" value="⬆"/>
20		
40		
60		
80		
100		

Correct Answer:

Elements		Answer area
20	<input type="button" value="➤"/> <input type="button" value="➤"/> <input type="button" value="➤"/> <input type="button" value="➤"/>	<input type="button" value="⬆"/> <input type="button" value="⬆"/> <input type="button" value="⬆"/> <input type="button" value="⬆"/>
80		
		100
		40
		60
		10

References: <https://www.bennadel.com/blog/1796-javascript-array-methods-unshift-shift-push-and-pop.htm>

QUESTION 5

HOTSPOT

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

	Yes	No
External JavaScript files can be cached.	<input type="radio"/>	<input type="radio"/>
Internal JavaScript can be placed between the <head> tags.	<input type="radio"/>	<input type="radio"/>
Placing your scripts at the bottom of the page body lets the browser load the other elements of the page first.	<input type="radio"/>	<input type="radio"/>
Internal JavaScript uses the tag <script src="internal" type="text/javascript">.	<input type="radio"/>	<input type="radio"/>

Correct Answer:



Answer Area

	Yes	No
External JavaScript files can be cached.	<input checked="" type="radio"/>	<input type="radio"/>
Internal JavaScript can be placed between the <head> tags.	<input checked="" type="radio"/>	<input type="radio"/>
Placing your scripts at the bottom of the page body lets the browser load the other elements of the page first.	<input checked="" type="radio"/>	<input type="radio"/>
Internal JavaScript uses the tag <code><script src="internal" type="text/javascript"></code> .	<input type="radio"/>	<input checked="" type="radio"/>

References: <http://knowledgehills.com/javascript/external-javascript-syntax-disadvantages.htm>
https://www.w3schools.com/js/js_where.asp https://www.w3schools.com/tags/att_script_src.asp

[Latest 98-382 Dumps](#)

[98-382 PDF Dumps](#)

[98-382 VCE Dumps](#)