



98-388^{Q&As}

Introduction to Programming Using Java

Pass Microsoft 98-388 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/98-388.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

HOTSPOT

You are writing a Java method.

The method must meet the following requirements:

Accept a String array named entries

Iterate through entries

Stop the iteration and return false if any element has more than 10 characters

Otherwise, return true

How should you complete the code? To answer, select the appropriate code segments in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:



Answer Area

```
public boolean validateEntries(String[] entries) {  
  
    boolean allValidEntries = true;  
  
    (String entry (String entry entries) {  
do  
for  
while  
:  
:  
++  
instanceof  
  
    if (entry.length() > 10) {  
  
        allValidEntries = false;  
  
break;  
continue;  
goto;  
  
    }  
  
    }  
  
    return allValidEntries;  
  
}
```

Correct Answer:



Answer Area

```
public boolean validateEntries(String[] entries) {  
  
    boolean allValidEntries = true;  
  
    (String entry  
do  
for  
while  
) entries {  
;  
;  
++  
instanceof  
  
    if (entry.length() > 10) {  
  
        allValidEntries = false;  
  
        break;  
continue;  
goto;  
  
    }  
  
    }  
  
    return allValidEntries;  
  
}
```

QUESTION 2

You work as a Java programmer.

You need to convert a numeric String to a primitive double value.

What code segment should you use?

- A. `Double.valueOf(numberString);`
- B. `double.parseDouble(numberString);`
- C. `String.parseDouble(numberString);`
- D. `Double.parseDouble(numberString);`

Correct Answer: B



References: <https://www.javacodeexamples.com/convert-string-to-primitive-example/140>

QUESTION 3

HOTSPOT

You work as an intern Java programmer at Adventure Works. Your team lead asks you to create a method. The method must meet the following requirements:

Accept an int array

Check for duplicate values in the array

Stop the outer loop as soon as a duplicate value has been detected and return true

Return false if all values in the array are unique How should you complete the code? To answer, select the appropriate code segments in the answer area. NOTE: Each correct selection is worth one point.

Hot Area:



Answer Area

```

public static boolean duplicate(int[] array) {

    boolean isDuplicate = false;

    for (   x++) {
        

|            |
|------------|
| x = 0;     |
| x = 1;     |
| int x = 1; |
| int x = 0; |



|                        |
|------------------------|
| x < array.length - 2;  |
| x < array.length - 1;  |
| x <= array.length;     |
| x <= array.length - 1; |



        for (int y = x + 1; y < array.length; )
            

|           |
|-----------|
| x = x + 1 |
| y++       |
| y = y - 1 |
| x--       |


            if (array[x] == array[y])
                isDuplicate = true;

            if (isDuplicate)
                

|           |
|-----------|
| break;    |
| switch;   |
| finally;  |
| continue; |


        }

    return isDuplicate;

}

```

Correct Answer:



Answer Area

```

public static boolean duplicate(int[] array) {

    boolean isDuplicate = false;

    for (   x++) {
        
        
        
        
        
        

        for (int y = x + 1; y < array.length;  )
            
            
            

            if (array[x] == array[y])

                isDuplicate = true;

            if (isDuplicate)

                
                
                
                

        }

        return isDuplicate;

    }
}

```

References: <https://stackoverflow.com/questions/3951547/java-array-finding-duplicates>

QUESTION 4

DRAG DROP

You are writing a Java method.

The program must meet the following requirements:

Accept a String parameter firstName

Display a welcome message that contains firstName

Ensure that the first letter of the name is capitalized, and the remaining letters are in lowercase



How should you complete the code? To answer, drag the appropriate code segment to the correct position. Each code segment may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to

view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Code Segments

charAt	substring
toLowerCase	toUpperCase

Answer Area

```
public String showGreeting(String firstName)
{
    String welcomeMsg = "Welcome, ";
    welcomeMsg += firstName. [ ] (0, 1). [ ] () +
    firstName. [ ] (1). [ ] ();
    return welcomeMsg;
}
```

Correct Answer:

Code Segments

Answer Area

```
public String showGreeting(String firstName)
{
    String welcomeMsg = "Welcome, ";
    welcomeMsg += firstName.charAt [ ] (0, 1). substring [ ] () +
    firstName.toUpperCase [ ] (1). toLowerCase [ ] ();
    return welcomeMsg;
}
```

QUESTION 5

HOTSPOT

You need to evaluate the following code segment. Line numbers are included for reference only.

```
01 int a = 5;
02 int b = 10;
03 int c = ++a * b--;
04 System.out.println(c);
05 int d = a-- + ++b;
06 System.out.println(d);
```




Use the drop-down menus to select the answer choice that answers each question based on the information presented in the code. NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

What is the output of line 04?

	▼
15	
45	
50	
54	
60	

What is the output of line 06?

	▼
13	
14	
15	
16	

Correct Answer:

Answer Area

What is the output of line 04?

	▼
15	
45	
50	
54	
60	

What is the output of line 06?

	▼
13	
14	
15	
16	

[Latest 98-388 Dumps](#)

[98-388 Practice Test](#)

[98-388 Study Guide](#)