



# 98-388<sup>Q&As</sup>

Introduction to Programming Using Java

**Pass Microsoft 98-388 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/98-388.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





## QUESTION 1

### HOTSPOT

You are interviewing for a job as a Java developer. You need to evaluate the following code. Line numbers are included for reference only.

```
01 String s1 = "Hello world";  
02 String s2 = "Hello world";  
03 String s3 = s2;  
04  
05
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Hot Area:

#### Answer Area

	Yes	No
<code>s1</code> and <code>s2</code> refer to the same object in memory.	<input type="checkbox"/>	<input type="checkbox"/>
<code>s2</code> and <code>s3</code> refer to the same object in memory.	<input type="checkbox"/>	<input type="checkbox"/>
A different string can be assigned to <code>s1</code> on line 04.	<input type="checkbox"/>	<input type="checkbox"/>
A different string can be assigned to <code>s2</code> on line 05.	<input type="checkbox"/>	<input type="checkbox"/>

Correct Answer:

#### Answer Area

	Yes	No
<code>s1</code> and <code>s2</code> refer to the same object in memory.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<code>s2</code> and <code>s3</code> refer to the same object in memory.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
A different string can be assigned to <code>s1</code> on line 04.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
A different string can be assigned to <code>s2</code> on line 05.	<input type="checkbox"/>	<input checked="" type="checkbox"/>

References: [https://www.tutorialspoint.com/java/java\\_strings.htm](https://www.tutorialspoint.com/java/java_strings.htm)



### QUESTION 2

DRAG DROP

References: [http://www.tutorialspoint.com/java/java\\_strings.htm](http://www.tutorialspoint.com/java/java_strings.htm)

Your instructor asks you to evaluate four arithmetic code segments.

What is the value of each code segment? To answer, drag the appropriate value from the column on the left to its code segment on the right. Each data may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

Select and Place:

#### Values

0	1
2	2.5
15	19
26	90

#### Answer Area

$( 2 + 3 ) * 4 - 1$

$4 * 4 + 2 * 5$

$8 * 2 \% 3$

$5 / 2 - 4 \% 2$


Correct Answer:

#### Values

0	
	2.5
15	
	90

#### Answer Area

$( 2 + 3 ) * 4 - 1$

$4 * 4 + 2 * 5$

$8 * 2 \% 3$

$5 / 2 - 4 \% 2$

19
26
1
2

### QUESTION 3

HOTSPOT

You work for Woodgrove Bank as a Java programmer.

You need to evaluate the following class. Line numbers are included for reference only.



```
01 public class Account {  
02     protected int balance;  
03     public Account() {  
04         balance = 0;  
05     }  
06     public Account(int amount) {  
07         balance = amount;  
08     }  
09 }
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Hot Area:

**Answer Area**

	Yes	No
The Account class has a single constructor.	<input type="checkbox"/>	<input type="checkbox"/>
Other classes can inherit the Account class.	<input type="checkbox"/>	<input type="checkbox"/>
Line 07 is equivalent to <code>this.balance = amount;</code>	<input type="checkbox"/>	<input type="checkbox"/>

Correct Answer:

**Answer Area**

	Yes	No
The Account class has a single constructor.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Other classes can inherit the Account class.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Line 07 is equivalent to <code>this.balance = amount;</code>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

References: <https://docs.oracle.com/javase/tutorial/java/javaOO/constructors.html>

**QUESTION 4**

DRAG DROP

References: <https://docs.oracle.com/javase/tutorial/getStarted/cupojava/netbeans.html>

You have the following code:

```
int num1 = 10;  
int num2 = 20;  
int num3 = 30;
```



You need to create an int array named numbers initialized with num1, num2, and num3.

How should you complete the code? To answer, drag the appropriate code segment to the correct position. Each code segment may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to

view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Code Segments

(num1, num2, num3)	[num1, num2, num3]	{num1, num2, num3}	int
int[]	new int	new int[]	

Answer Area

```

[ ] numbers = [ ] [ ] ;

```

Correct Answer:

Code Segments

(num1, num2, num3)	[num1, num2, num3]		int
	new int		

Answer Area

```

int[] numbers = new int[] {num1, num2, num3};

```

Example:

```
int[] numbers = new int[] {num1, num2, num3}
```

References:

<https://docs.oracle.com/javase/tutorial/java/nutsandbolts/arrays.html>

<https://alvinalexander.com/blog/post/java/java-faq-create-array-int-example-syntax>

QUESTION 5

HOTSPOT

You are writing a Java console program.

The program must meet the following requirements:

Read a line of text entered by the user

Print each word in the text to the console on a separate line



How should you complete the code? To answer, select the appropriate code segments in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

### Answer Area

```

java.  input = new java.  (  );
  text.Format
  util.Scanner
  text.FieldPosition

while (input.  )
  next()
  toString()
  hasNext()

{
   (input.  );
  text.Format
  input.findInLine
  System.out.println
  next()
  toString()
  hasNext()
}

```

Correct Answer:

### Answer Area

```

java.  input = new java.  (  );
  text.Format
  util.Scanner
  text.FieldPosition

while (input.  )
  next()
  toString()
  hasNext()

{
   (input.  );
  text.Format
  input.findInLine
  System.out.println
  next()
  toString()
  hasNext()
}

```



References: <https://docs.oracle.com/javase/7/docs/api/java/util/Scanner.html>

[98-388 PDF Dumps](#)

[98-388 VCE Dumps](#)

[98-388 Exam Questions](#)