



98-388^{Q&As}

Introduction to Programming Using Java

Pass Microsoft 98-388 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/98-388.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

DRAG DROP

Traders hires you to write a Java program to manage account openings. To open a new account, a user must meet one the following requirements:

be over 65 years old and have a minimum annual income of 10,000

be at least 21 and have an annual income greater than 25,000

How should you complete the code? To answer, drag the appropriate operator to the correct position. Each operator may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Operators

>	&&	>=		==	!=	<=	=	<
---	----	----	--	----	----	----	---	---

Answer Area

```
if (age [ ] 65 [ ] income [ ] 10000 [ ]  
    age [ ] 21 [ ] income [ ] 25000) {  
    System.out.println("Approved");  
}  
  
else {  
    System.out.println("Declined");  
}
```

Correct Answer:

Operators

>	&&	>=		==	!=	<=	=	<
---	----	----	--	----	----	----	---	---

Answer Area

```
if (age [ ] > 65 [ ] && [ ] income [ ] <= 10000 [ ] || [ ]  
    age [ ] >= 21 [ ] && [ ] income [ ] > 25000) {  
    System.out.println("Approved");  
}  
  
else {  
    System.out.println("Declined");  
}
```

References: https://www.tutorialspoint.com/java/java_basic_operators.htm

QUESTION 2



HOTSPOT

You are developing a Java program to play Tic-Tac-Toe. You define the following array to store the state of the board: Use the drop-down menus to select the answer choice that answers each question based on the information presented in the code. NOTE: Each correct selection is worth one point.

```
char[][] grid = {  
    {'-', '-', 'X'},  
    {'-', '-', '-'},  
    {'-', 'O', '-'}  
};
```

Hot Area:

Answer Area

Which array element contains an "x"?

	▼
grid[0][2]	
grid[1][3]	
grid[2][0]	
grid[3][1]	

Which array element contains an "o"?

	▼
grid[1][2]	
grid[2][1]	
grid[2][3]	
grid[3][2]	

Correct Answer:

Answer Area

Which array element contains an "x"?

	▼
grid[0][2]	
grid[1][3]	
grid[2][0]	
grid[3][1]	

Which array element contains an "o"?

	▼
grid[1][2]	
grid[2][1]	
grid[2][3]	
grid[3][2]	

**QUESTION 3****HOTSPOT**

You are writing a Java class named SavingsAccount. The class must meet the following requirements:

Inherit from an existing class named Account

Include a constructor that uses the base class constructor to initialize the starting balance

Include a substitute toString() method How should you complete the code? To answer, select the appropriate code segments in the answer area. NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

```
public class SavingsAccount 

|            |   |
|------------|---|
|            | ▼ |
| :          |   |
| extends    |   |
| inherits   |   |
| implements |   |

 Account {  
  
    double rate = 0.02;  
  
    SavingsAccount(double startingBalance) {  


|             |   |
|-------------|---|
|             | ▼ |
| Account     |   |
| base        |   |
| constructor |   |
| super       |   |

 (startingBalance);  
    }  
  


|             |   |
|-------------|---|
|             | ▼ |
| @Implements |   |
| @Inject     |   |
| @Overload   |   |
| @Override   |   |

 public String toString() {
```



Correct Answer:

Answer Area

```
public class SavingsAccount 

|            |   |
|------------|---|
|            | ▼ |
| :          |   |
| extends    |   |
| inherits   |   |
| implements |   |

 Account {  
  
    double rate = 0.02;  
  
    SavingsAccount(double startingBalance) {  


|             |   |
|-------------|---|
|             | ▼ |
| Account     |   |
| base        |   |
| constructor |   |
| super       |   |

 (startingBalance);  
    }  
  


|             |   |
|-------------|---|
|             | ▼ |
| @Implements |   |
| @Inject     |   |
| @Overload   |   |
| @Override   |   |

  
    public String toString() {
```

References: https://www.tutorialspoint.com/java/java_inheritance.htm

QUESTION 4

You work as a Java programmer.

You need to convert a numeric String to a primitive double value.

What code segment should you use?

A. Double.valueOf(numberString);



- B. `double.parseDouble(numberString);`
- C. `String.parseDouble(numberString);`
- D. `Double.parseDouble(numberString);`

Correct Answer: B

References: <https://www.javacodeexamples.com/convert-string-to-primitive-example/140>

QUESTION 5

HOTSPOT

You are creating a Java console application.

You need to read a birthdate entered by the user.

How should you complete the code? To answer, select the appropriate code segments in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

**Answer Area**

```
import 
      

public class DataReader
{
    public static String getBirthdate()
    {
        System.out.println("Enter your birthday in the format MMDDYYYY");

         ;
        
        

        String birthdate =  ;
        
        
        
        

         ;
        
        
        
        

        return birthdate;
    }
}
```

Correct Answer:



Answer Area

```
import java.io.*  
java.util.Scanner  
  
public class DataReader  
{  
    public static String getBirthdate()  
    {  
        System.out.println("Enter your birthday in the format MMDDYYYY");  
  
        InputStream stream = System.in  
Scanner sc = new Scanner(System.in) ;  
  
        String birthdate = stream.read()  
sc.next()  
stream.mark(8)  
sc.wait() ;  
  
        stream.close()  
sc.close()  
stream.wait()  
sc.wait() ;  
  
        return birthdate;  
    }  
}
```

References: <https://docs.oracle.com/javase/7/docs/api/java/io/InputStreamReader.html>

[Latest 98-388 Dumps](#)

[98-388 PDF Dumps](#)

[98-388 Study Guide](#)