9A0-385^{Q&As}

Adobe Experience Manager 6.0 Architect Exam

Pass Adobe 9A0-385 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/9a0-385.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Adobe
Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

An architect must incorporate measures to prevent content grabbing. Which two recommendations should the architect configure? (Choose two.)

A. Apache Sling POST Servlet

B. Apache Sling GET Servlet

C. Dispatcher filter section

D. Dispatcher allowed Clients section

Correct Answer: BC

QUESTION 2

AEM installs default groups and users.

Which two concepts should the architect know about the admin, anonymous, and author users? (Choose two.)

A. Keep all three users as default

B. All default accounts should be deleted.

C. Modifying the anonymous account creates additional security implications.

D. Change the password for the admin account from the default.

Correct Answer: BC

QUESTION 3

A large telecommunications company is leveraging the capability of AEM to integrate with SAML.

The architect must configure the SAML Authentication Handler. By default the SAML 2.0 Authentication handler is disabled.

Which two OSGi configuration properties must the architect set to enable the SAML 2.0 Authentication handler? (Choose two.)

A. The public certificate of the identity provider

B. The identity provider POST URL

C. The Service Provide Entity ID

D. The Service Ranking

Correct Answer: BC

QUESTION 4

An architect must optimize the performance of the home page of a client\\'s website. The client requires that search engines index the home page content.

The home page must NOT be cacheable because it displays a list of recently shared articles.

This list is generated by using an AEM component that performs a real-time look-up to an API from a third-party company.

Which solution should the architect choose?

A. Replace the real-time API access with a scheduled job inside AEM that runs every 15 minutes to update the data and trigger a dispatcher cache flush

B. Replace the AEM component\\'s server-side logic with a JavaScript widget provided by the third p

C. Cache the home page using the Dispatcher and implement a cron job to remove the cached file every 15 minutes

D. Cache the rest of the home page and deliver the recently shared article list using AJAX

Correct Answer: A

QUESTION 5

Which three statements about Multi Site Manager, Blueprint, and Live Copy functionality are true?

A. Live Copy of a particular Blueprint inherit Rollout configuration is configured on a Blueprint

B. Immediate children of Multi Site Manager (MSM) Blueprint root page are language branches.

C. Blueprint can have one or more Live Copies.

D. Live Copy can inherit from multiple Blueprints.

Correct Answer: C