



9A0-385^{Q&As}

Adobe Experience Manager 6.0 Architect Exam





Pass Adobe 9A0-385 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/9a0-385.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Adobe
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

An architect must use metrics from a client's existing CMS environments. Which metric is LEAST valuable?

- A. CMS storage requirements
- B. Average daily requests of users visiting the site
- C. CPU clock speed of the servers
- D. Percentage of requests offloaded by the CDN

Correct Answer: A

QUESTION 2

During discovery of business requirements, an architect learns that some of the business requirements cannot be accomplished using standard out-of-the-box AEM components.

Which requirement can be achieved with out-of-the-box components?

- A. Display the current temperature for a given location
- B. Create an image carousel from a user-selected number of pages
- C. Display a Google Maps interactive map for an authored location
- D. Display the top X requested pages in a site

Correct Answer: C

QUESTION 3

An architect needs to document the flow of content from a system that provides real-time stock quotes to an AFM system for display. The documentation must show how each server communicates and which ports are used.

Which architectural diagram should the architect modify?

- A. Conceptual
- B. Physical
- C. Logical
- D. Data Flow

Correct Answer: A

QUESTION 4

An architect must optimize the performance of the home page of a client's website. The client requires that search



engines index the home page content.

The home page must NOT be cacheable because it displays a list of recently shared articles.

This list is generated by using an AEM component that performs a real-time look-up to an API from a third-party company.

Which solution should the architect choose?

- A. Replace the real-time API access with a scheduled job inside AEM that runs every 15 minutes to update the data and trigger a dispatcher cache flush
- B. Replace the AEM component's server-side logic with a JavaScript widget provided by the third p
- C. Cache the home page using the Dispatcher and implement a cron job to remove the cached file every 15 minutes
- D. Cache the rest of the home page and deliver the recently shared article list using AJAX

Correct Answer: A

QUESTION 5

A large telecommunications company is leveraging the capability of AEM to integrate with SAML.

The architect must configure the SAML Authentication Handler. By default the SAML 2.0 Authentication handler is disabled.

Which two OSGi configuration properties must the architect set to enable the SAML 2.0 Authentication handler? (Choose two.)

- A. The public certificate of the identity provider
- B. The identity provider POST URL
- C. The Service Provide Entity ID
- D. The Service Ranking

Correct Answer: BC

[Latest 9A0-385 Dumps](#)

[9A0-385 PDF Dumps](#)

[9A0-385 Study Guide](#)