



9A0-385^{Q&As}

Adobe Experience Manager 6.0 Architect Exam

Pass Adobe 9A0-385 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/9a0-385.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Adobe
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which type of architecture diagram should an architect use to present application code and content flow?

- A. Deployment
- B. Physical
- C. Data Flow
- D. Logical

Correct Answer: C

QUESTION 2

During discovery of business requirements, an architect learns that some of the business requirements cannot be accomplished using standard out-of-the-box AEM components.

Which requirement can be achieved with out-of-the-box components?

- A. Display the current temperature for a given location
- B. Create an image carousel from a user-selected number of pages
- C. Display a Google Maps interactive map for an authored location
- D. Display the top X requested pages in a site

Correct Answer: C

QUESTION 3

A multi-national company rolls out its authoring tools and site in English-speaking locations without regard to other languages. An architect must augment the system to facilitate authoring content in French and adapting the resulting tools to enable other languages added at a later date. Which tool allows the architect to manage dictionaries?

- A. I18n
- B. Internationalization Service
- C. Translator
- D. Dictionary

Correct Answer: C

QUESTION 4



Which three tasks can business users perform using AEM OOTB functionality/components/plugins? (Choose three.)

- A. Provide ratings for a particular page
- B. Present and sort order status client side
- C. Customize content using Twitter profile data
- D. Display a list of completed workflow items

Correct Answer: ACD

QUESTION 5

A large telecommunications company is leveraging the capability of AEM to integrate with SAML.

The architect must configure the SAML Authentication Handler. By default the SAML 2.0 Authentication handler is disabled.

Which two OSGi configuration properties must the architect set to enable the SAML 2.0 Authentication handler? (Choose two.)

- A. The public certificate of the identity provider
- B. The identity provider POST URL
- C. The Service Provide Entity ID
- D. The Service Ranking

Correct Answer: BC

[Latest 9A0-385 Dumps](#)

[9A0-385 PDF Dumps](#)

[9A0-385 Study Guide](#)