

9L0-521^{Q&As}

OS X Server Essentials 10.9 Exam

Pass Apple 9L0-521 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/9I0-521.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Apple
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



VCE & PDF GeekCert.com

https://www.geekcert.com/9I0-521.html

2024 Latest geekcert 9L0-521 PDF and VCE dumps Download

QUESTION 1

Which step is required in order to enable the management of OS X Server via Server app on a client Mac?

- A. On the client, open Server app, select the server, click Settings, and select "Allow remote loginusing SSH."
- B. On the client Mac, open the Sharing pane of System Preferences, and select Remote Management.
- C. On the server, open Server app, select the server, click Settings, and select "Allow remoteadministration using Server."
- D. On the server, open the Sharing pane of System Preferences, and select Remote Management.

Correct Answer: C

QUESTION 2

Which utility is on the OS X Recovery partition?

- A. Firmware Password Utility
- B. Boot Camp Assistant
- C. Activity Monitor
- D. Console

Correct Answer: A

QUESTION 3

Which OS X startup keyboard shortcut causes the system to display the most detailed information about the startup process?

- A. Command-V
- B. F12
- C. Command-S
- D. Shift

Correct Answer: A

QUESTION 4

What token does a client computer present to OS X Server in order to authenticate to a kerberized service running on the server?



https://www.geekcert.com/9I0-521.html

2024 Latest geekcert 9L0-521 PDF and VCE dumps Download

- A. A client-generated service ticket
- B. A ticket-granting ticket (TGT) obtained from the Key Distribution Center (KDC)
- C. The user\\'s password
- D. A service ticket obtained from the Key Distribution Center (KDC)

Correct Answer: A

QUESTION 5

You started up a Mac from its OS X Recovery partition to complete a task. When you restarted, the Mac started up from the OS X Recovery partition again.

How can you configure it to start up from a different volume?

- A. Choose Terminal from the Utilities menu, type startup disk -[volume name] and press Return.
- B. Choose Disk Utility from the Apple menu, and select a startup volume.
- C. Choose Startup Disk in the OS X Utilities window, and select a startup volume.
- D. Choose Startup Disk from the Apple menu, and select a startup volume.

Correct Answer: D

9L0-521 Study Guide

9L0-521 Exam Questions

9L0-521 Braindumps