

A00-201 Q&As

SAS base programming exam

Pass SASInstitute A00-201 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/a00-201.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by SASInstitute Official Exam Center

Instant Download After Purchase

- 100% Money Back Guarantee
- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

A raw data record is shown below:

07Jan2002

Which one of the following in formats would read this value and store it as a SAS date value?

A. date9.

- B. dmonyy9.
- C. ddMMMyy9.
- D. ddmmmyyyy9.

Correct Answer: A

QUESTION 2

Which one of the following is true of the RETAIN statement in a SAS DATA step program?

A. It can be used to assign an initial value to _N_.

B. It is only valid in conjunction with a SUM function.

- C. It has no effect on variables read with the SET, MERGE and UPDATE statements.
- D. It adds the value of an expression to an accumulator variable and ignores missing values.

Correct Answer: B

QUESTION 3

The contents of the SAS data set named PEPM.STUDENTS are listed below:

name age

Alfred 14

Alice 13

Barbaba 13

Carol 14

The following SAS program is submitted using the PERM STUDENTS data set as input libname perm `SAS-data-library\\';

data students;



set perm.students;
file `file-specification\\';
put name \$15. @5 age 2.; run;
Which one of the following represents the values written to the output raw data file?
AI10I20I30 Alfred 14 Alice 13 Barbara 13 Carol 14
BI10I20I30 Alfr14 Alicl3 Barb 13a Carol 4
CI10I20I30 Alfr14ed Alicl3e Barb I3ara Carol4I
D1010201301010
Correct Answer: B

QUESTION 4

Which one of the following statements is true regarding the name of a SAS array?

- A. It is saved with the data set.
- B. It can be used in procedures.
- C. It exists only for the duration of the DATA step.
- D. It can be the same as the name of a variable in the data set.

Correct Answer: C

QUESTION 5

The following SAS program is submitted:

data work.accounting; set work.dept1 work.dept2; run;

A character variable named JOBCOE is contained in both the WORK.DEPT1 and WORK.DEPT2 SAS data sets. The variable JOBCODE has a length of 5 in the WORK.DEPT1 data set and a length of 7 in the WORK.DEPT2 data set.

Which one of the following is the length of the variable JOBCODE in the output data set?

B. 7

C. 8

D. 12

Correct Answer: A



Latest A00-201 Dumps

A00-201 Study Guide

A00-201 Exam Questions