VCE & PDF
GeekCert.com

A00-201^{Q&As}

SAS base programming exam

Pass SASInstitute A00-201 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/a00-201.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SASInstitute Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

The following SAS program is submitted:

data work.test;

set work.staff (keep = jansales febsales marsales); array diff_sales{3} difsales1 - ditsales3;

array monthly{3} jansales febsales marsales;

run;

Which one of the following represents the new variables that are created?

A. JANSALES, FEBSALES and MARSALES

B. MONTHLY1, MONTHLY2 and MONTHLY3

C. DIFSALES1, DIFSALES2 and DIFSALES3

D. DIFF_SALES1, DIFF_SALES2 and DIFF_SALES3

Correct Answer: C

QUESTION 2

The following SAS program is submitted:

data work.test;

Author = `Christie, Agatha\\';

First = substr(scan(author,2,\\' ,`),1, 1);

run;

Which one of the following is the value of the variable FIRST in the output data set?

A. A

B. C

C. Agatha

D. ``(missing character value)

Correct Answer: A

QUESTION 3

The following SAS SORT procedure step generates an output data set

proc sort data = sasuser.houses out = report;

by style;

run;

In which library is the output data set stored?

A. WORK

B. REPORT

C. HOUSES

D. SASUSER

Correct Answer: A

QUESTION 4

The following SAS program is submitted:

data work.empsalary;

set work.people (in = inemp)

work.money (in = insal):

if insal and inemp;

run;

The SAS data set WORK.PEOPLE has 5 observations, and the data set WORK.MONEY has 7 observations.

How many observations will the data set WORK.EMPSALARY contain?

A. 0

B. 5

C. 7

D. 12

Correct Answer: A

QUESTION 5

The following SAS program is submitted:

data work.retail; cost = `20000\\'; total = .10*cost; run;

Which one of the following is the value of the variable TOTAL in the output data set?

A. 2000

B. `2000\\'

C. (missing numeric value)

D. ` `(missing character value)

Correct Answer: A