



# A00-211<sup>Q&As</sup>

SAS Base Programming for SAS 9

## Pass SASInstitute A00-211 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/a00-211.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by SASInstitute Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

The following SAS program is submitted:

```
proc sort data=SASUSER.PROJECTS out=PSORT;  
by Product Code descending Date Cost;  
run;
```

Which of the following is true concerning the submitted program?

- A. The descending option applies only to the Date variable.
- B. The descending option applies to the Date and Cost variables.
- C. The descending option applies to the Product and Code variables.
- D. The descending option applies only to the Code variable.

Correct Answer: B

---

### QUESTION 2

FILL BLANK

Given the SAS data set WORK.EMP\_NAME:

Name	EmpID
Jill	1864
Jack	2121
Jeff	3243
Joan	4698
John	5463

Given the SAS data set WORK.EMP\_DEPT:

EmpID	Department
2121	Accounting
3567	Finance
4698	Marketing
5463	Accounting

The following program is submitted:



```
data WORK.ALL;  
  merge WORK.EMP_NAME(in=Emp_N)  
        WORK.EMP_DEPT(in=Emp_D);  
  by Empid,  
  if (Emp_N and not Emp_D) or (Emp_D and not Emp_N);  
run;
```

How many observations are in data set WORK.ALL after submitting the program?

A. 2

Correct Answer: A

### QUESTION 3

Which of the following programs correctly invokes the DATA Step Debugger?

A.

```
data WORK.TEST debug;  
  set WORK.PILOTS;  
  State=scan(cityState,2,' ');  
  if State='NE' then description='Central';  
run;
```

B.

```
data WORK.TEST debugger;  
  set WORK.PILOTS;  
  State=scan(cityState,2,' ');  
  if State='NE' then description='Central';  
run;
```

C.

```
data WORK.TEST / debug;  
  set WORK.PILOTS;  
  State=scan(cityState,2,' ');  
  if State='NE' then description='Central';  
run;
```

D.

```
data WORK.TEST / debugger;  
  set WORK.PILOTS;  
  State=scan(cityState,2,' ');  
  if State='NE' then description='Central';  
run;
```

A. Option A

B. Option B

C. Option C



D. Option D

Correct Answer: C

---

#### QUESTION 4

Given the contents of the raw data file TYPECOLOR:

```
----|----10---|----20---|----30
```

Daisyyellow

The following SAS program is submitted:

```
data flowers;
```

```
infile `typecolor`\|;
```

```
input type$ 1-5+1 color$;
```

```
run;
```

What are the values of the variables TYPE and COLOR?

- A. type color daisygreen
- B. type color daisyellow
- C. type color daisyyellow" "(missing character value)
- D. No values are stored for the TYPE and COLOR variables.

Correct Answer: B

---

#### QUESTION 5

Read the table:



Obs	style	sqfeet	bedrooms	baths	street	price
1	RANCH	1250	2	1.0	Sheppard Avenue	\$64,000
2	SPLIT	1190	1	1.0	Rand Street	\$65,850
3	CONDO	1400	2	1.5	Market Street	\$80,050
4	TWOSTORY	1810	4	3.0	Garris Street	\$107,250
5	RANCH	1500	3	3.0	Kemble Avenue	\$86,650
6	SPLIT	1615	4	3.0	West Drive	\$94,450
7	SPLIT	1305	3	1.5	Graham Avenue	\$73,650
8	CONDO	1390	3	2.5	Hampshire Avenue	\$79,350
9	TWOSTORY	1040	2	1.0	Sanders Road	\$55,850
10	CONDO	2105	4	2.5	Jeans Avenue	\$127,150
11	RANCH	1535	3	3.0	State Highway	\$89,100
12	TWOSTORY	1240	2	1.0	Fairbanks Circle	\$69,250
13	RANCH	720	1	1.0	Nicholson Drive	\$34,550
14	TWOSTORY	1745	4	2.5	Highland Road	\$102,950
15	CONDO	1860	2	2.0	Arcata Avenue	\$110,700

Given the SAS data set SASUSER.HOUSES:

```
Obs style bedrooms baths price sqfeet street
1 CONDO 2 1.5 80050 1200 MAIN 2 CONDO 3 2.5 79350 1300 ELM 3
CONDO 4 2.5 127150 1400 OAK 4 CONDO 2 2.0 110700 1100 FIFTH 5 TWOSTORY 4 3.0 107250 2100 SECOND 6
TWOSTORY 2 1.0 55650 1600 WEST 7 TWOSTORY 2 1.0 69250 1450 NORTH 6 TWOSTORY 4 2.5 102950 2000
SOUTH
```

The following SAS program is submitted:

```
proc report data = sasuser.houses nowd headline;
```

```
column style price;
```

```
where price lt 100000;
```

```
define price / mean width = 9 format = dollar12.;
```

```
title;
```

```
run;
```

The following output is desired:

```
style price
```

```
CONDO $79,700 TWOSTORY $62550
```

Which DEFINE statement completes the program and produces the desired output?

- A. define style / width = 9,
- B. define style / orderwidth = 9;
- C. define style / group width = 9;
- D. define style / display width = 9;

Correct Answer: C



VCE & PDF

GeekCert.com

<https://www.geekcert.com/a00-211.html>

2024 Latest geekcert A00-211 PDF and VCE dumps Download

---

[A00-211 Practice Test](#)

[A00-211 Exam Questions](#)

[A00-211 Braindumps](#)