



# A00-280<sup>Q&As</sup>

SAS Certified Clinical Trials Programmer Using SAS 9

## Pass SASInstitute A00-280 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/a00-280.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by SASInstitute  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

The following SAS program is submitted:

```
data WORK.DIGESTL;  
array Observe(3) $ 8 ('appendicitis','diverticulosis','gastroenteritis');  
run;
```

What is the value of the second variable in the data set WORK.DIGESTL?

- A. diverticulosis
- B. divertic
- C. a missing value
- D. No variables are created.

Correct Answer: B

---

### QUESTION 2

The following SAS program is submitted, but fails due to syntax errors.

```
data WORK.TOTALEXPEND(keep=MonthExp(12));  
set WORK.MONTHLYEXPEND(keep=Year Drug Disp);  
array MonthExp(12);  
do i=1 to 12;  
    MonthExp(i)=Disp;  
end;  
drop i;  
run;
```

What is the cause of the syntax errors?

- A. The keep= data set option should be (keep=MonthExp\*).
- B. An array can only be referenced in a KEEP statement and not within a keep= data set option.
- C. An array cannot be referenced on a keep= data set option.
- D. The keep= data set option should be (keep=MonthExp).

Correct Answer: C

---

### QUESTION 3

The following SAS program is submitted:



```
proc univariate data=WORK.STUDY;  
  by VISIT;  
  class REGION TREAT;  
  var HBA1C GLUCOSE;  
run;
```

You want to store all calculated means and standard deviations in one SAS data set.

Which statement must be added to the program?

- A. output mean std;
- B. ods output mean=m1 m2 std=s1 s2;
- C. output out=WORK.RESULTS mean=m1 m2 std=s1 s2;
- D. ods output out=WORK.RESULTS mean=m1 m2 std=s1 s2;

Correct Answer: C

#### QUESTION 4

The following SAS program is submitted: How many data sets are created and how many observations are in the data set(s)?

```
ods output ChiSq(match_all) = WORK.PVALUES(where=(statistic eq 'Chi-Square')) ;  
proc freq data=WORK.ENDPT;  
  tables ENDPT1 * TREAT / chisq;  
  tables ENDPT2 * TREAT / chisq;  
run;  
ods output close ;
```

- A. 1 data set named PVALUES with 1 observation.
- B. 1 data set named PVALUES with 2 observations.
- C. 2 data sets named PVALUES and PVALUES1 each with 1 observation.
- D. 2 data sets named PVALUES1 and PVALUES2 each with 2 observations

Correct Answer: C

#### QUESTION 5

A subject reports a medication started in March of 2007 but cannot recall the day number. What is the value stored in the SDTM domain CM.CMSTDTC variable?

- A. 00MAR2007
- B. 2007 03
- C. MAR2007



D. 2007-03

Correct Answer: D

[A00-280 VCE Dumps](#)

[A00-280 Practice Test](#)

[A00-280 Braindumps](#)