



SAS Certified Clinical Trials Programmer Using SAS 9

Pass SASInstitute A00-280 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/a00-280.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by SASInstitute Official Exam Center

Instant Download After Purchase

- 100% Money Back Guarantee
- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

Where would you store a value collected on a case report form but not defined in an SDTM domain?

Correct Answer: C
D. SC
C. SUPPQUAL
B. DM
A. RELREC

QUESTION 2

Given the following log entry:

```
47
           data hrates ;
48
              merge dm hr ;
49
              by subjid ;
50
           run :
INFO: The variable sexed on data set WORK.DM will be overwritten by data set WORK.HR.
NOTE: There were 4 observations read from the data set WORK.DM.
NOTE: There were 4 observations read from the data set WORK.HR.
NOTE: The data set WORK.HRATES has 4 observations and 4 variables.
NOTE: DATA statement used (Total process time):
      real time
                          0.06 seconds
     cpu time
                          0.01 seconds
```

Which SAS system option adds the blue highlighted lines to the log?

A. INFO

B. MSGLEVEL=I

- C. INVALIDDATA=\\\'I\\\'
- D. NOTES

Correct Answer: B

QUESTION 3

Which statement assigns the current date to the character variable CURRDT?

A. currdt="andsysdate.";

B. currdt="%sysdate.";



C. currdt="sysdate.";

D. currdt="#sysdate.";

```
Correct Answer: A
```

QUESTION 4

Given the following output from the TTEST Procedure: Variable:

		Varia	ole: fastgl	uc	
N	Nean	Std Dev	Std Err	Minimum	Maximum
6	7.6517	0.4999	0.2041	6.9500	8.3700
Nean	95% CL	Nean	Std Dev	95% CL	Std Dev
7.6517	7.127	0 8.1763	0.4999	0.3121	1.2262
		DF	t Value	Pr > t	
		5	37.49	<.0001	

What is the t-test p-value?

A. 0.3121

В.