



A00-280^{Q&As}

SAS Certified Clinical Trials Programmer Using SAS 9

Pass SASInstitute A00-280 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/a00-280.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SASInstitute
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Given the following entry in the SAS log:

```
26      proc transpose data=vitals out=tresp (drop=_label_);
27          by inv_no patid ;
28          id visit ;
29          var resp ;
30      run ;

WARNING: 2 observations omitted due to missing ID values.
NOTE: There were 22 observations read from the data set WORK.VITALS.
NOTE: The data set WORK.TRESP has 8 observations and 6 variables.
NOTE: PROCEDURE TRANSPOSE used (Total process time):
      real time          0.04 seconds
      cpu time           0.03 seconds
```

Which alternate method could you use to? ?Transpose all data ?Not produce a warning message in the log

- A. Use PROC TRANSPOSE with a WHERE clause to omit records with missing VISIT values
- B. Use PROC COPY with SELECT statements
- C. Use PROC DATASETS with SELECT and MODIFY statements
- D. Use a DATA step with conditional OUTPUT statements

Correct Answer: D

QUESTION 2

Which validation technique involves two programmers writing separate programs to produce the same output, then comparing the result?

- A. Independent Programming
- B. Peer Matching
- C. Identical Programming
- D. Peer Review

Correct Answer: A

QUESTION 3

The following SAS program is submitted:



```
data WORK.TEST;  
  set WORK.WGTCODE;  
  if Subjcode='Wgt2' then Description='Over';  
  else Description='Unknown';  
run;
```

If the value for the variable Subjcode is "WGT2", what is the value of the variable Description?

- A. missing character value
- B. Unknown
- C. Over
- D. Wgt2

Correct Answer: B

QUESTION 4

Given the following partial output data set:

SUBJID	VISIT	AGE	AGECAT
101	1	28	2
103	1	42	3
105	2	18	1
106	1	56	3
107	1	55	3

Which code was used to create AGECAT?

- A. if age