



A01-250^{Q&As}

SAS Platform Administration

Pass SASInstitute A01-250 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/a01-250.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SASInstitute
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

A customer's environment has a standard workspace server instantiated by the object spawner. What authentication is required to support this configuration?

- A. back-end authentication
- B. integrated authentication
- C. host authentication
- D. internal authentication

Correct Answer: C

QUESTION 2

The METALIB procedure enables you to update table metadata. Which method does NOT provide access to the METALIB procedure?

- A. SAS Management Console's update metadata feature
- B. SAS Enterprise Guide Explorer's library management feature
- C. SAS Data Integration Studio's update table metadata feature
- D. custom code using PROC METALIB.

Correct Answer: B

QUESTION 3

How many object spawners, at a minimum, need to be defined in the metadata?

- A. One per machine running a stored process server, workspace server, and/or pooled workspace server.
- B. One for each type of server instantiated by an object spawner.
- C. One for every three servers that need to be instantiated by an object spawner.
- D. Never more than one per environment.

Correct Answer: A

QUESTION 4

In most deployments of the Platform for SAS Business Analytics, which type of access requires passwords for external accounts to be stored in the metadata?



- A. seamless access to the SAS datasets
- B. seamless access to SAS OLAP cubes
- C. seamless access to external databases
- D. all of the above

Correct Answer: C

QUESTION 5

A platform administrator used operating system commands to backup the metadata repositories and repository manager in a SAS environment. When the platform administrator attempted to restore the SAS environment, the backup files were unusable. What is the most likely cause of the backup files being unusable?

- A. The metadata server was stopped when the backup was taken.
- B. The metadata server was Online when the backup was taken.
- C. The metadata server was only paused to an Offline state when the backup was taken.
- D. The metadata server configuration file omaconfig.xml is not included in a backup initiated by operating system commands.

Correct Answer: B

[A01-250 PDF Dumps](#)

[A01-250 Exam Questions](#)

[A01-250 Braindumps](#)