



A01-250^{Q&As}

SAS Platform Administration

Pass SASInstitute A01-250 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/a01-250.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SASInstitute
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

A platform administrator wants to provide SAS Administrators and service identities with exclusive read access to metadata. Which permission levels should the platform administrator assign?

- A. RM for PUBLIC, SAS Administrators, and SAS System Services
- B. RM and R for PUBLIC, SAS Administrators, and SAS System Services
- C. RM for PUBLIC, and R for SAS Administrators and SAS System Services
- D. R for PUBLIC, and RM for SAS Administrators and SAS System Services

Correct Answer: A

QUESTION 2

If a server or spawner is failing to start, what would be the most appropriate first step in troubleshooting the cause of the failure?

- A. Run the SAS Deployment Manager to reconfigure the servers.
- B. Modify the SAS Server configuration files.
- C. Copy the command line used to invoke the server and issue it directly in the operating system, noting any errors or information generated.
- D. Use SAS Management Console to modify the server\\'s configuration.

Correct Answer: C

QUESTION 3

A platform administrator used operating system commands to backup the metadata repositories and repository manager in a SAS environment. When the platform administrator attempted to restore the SAS environment, the backup files were unusable. What is the most likely cause of the backup files being unusable?

- A. The metadata server was stopped when the backup was taken.
- B. The metadata server was Online when the backup was taken.
- C. The metadata server was only paused to an Offline state when the backup was taken.
- D. The metadata server configuration file omaconfig.xml is not included in a backup initiated by operating system commands.

Correct Answer: B



QUESTION 4

What is the correct order in which to start up the SAS servers and spawners?

- A. Batch server, metadata server, objectspawner, OLAP server, pooled workspace server, stored process server, workspace server
- B. Workspace server, stored process server, pooled workspace server, OLAP server, objectspawner, metadata server, batch server
- C. Metadata server, batch server, objectspawner, OLAP server, pooled workspace server, stored process server, workspace server
- D. Metadata server, objectspawner, OLAP server

Correct Answer: D

QUESTION 5

In most deployments of the Platform for SAS Business Analytics, which type of access requires passwords for external accounts to be stored in the metadata?

- A. seamless access to the SAS datasets
- B. seamless access to SAS OLAP cubes
- C. seamless access to external databases
- D. all of the above

Correct Answer: C

[Latest A01-250 Dumps](#)

[A01-250 VCE Dumps](#)

[A01-250 Exam Questions](#)