



A2090-303^{Q&As}

Assessment: IBM InfoSphere DataStage v9.1 Assessment

Pass IBM A2090-303 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/a2090-303.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

What two binding types are supported by Information Services Director (ISD) for a parallel job that is designed to be used as a service? (Choose two.)

- A. EJB
- B. SQL
- C. HDFS
- D. SOAP
- E. STREAMS

Correct Answer: AD

QUESTION 2

Each row contains the CustID, ProductID, ProductType and TotalAmount columns. You want to retain the record with the largest value in the TotalAmount column for each CustID and ProductType using a RemoveDuplicates stage. How can this be accomplished?

- A. Hash-partition on CustID. Sort on CustID, ProductType and TotalAmount.
- B. Hash-partition on TotalAmount. Sort on CustID, ProductType and TotalAmount.
- C. Hash-partition on ProductType. Sort on ProductType, CustID and TotalAmount.
- D. Hash-partition on CustID, ProductType and TotalAmount. Sort on CustID, ProductType and TotalAmount.

Correct Answer: A

QUESTION 3

Which two commands start a DataStage job named procRows in a project named DSProject. It also passes the value 200 to the numRows parameter. (Choose two.)

- A. dsjob -run -paramfile numRows=200 DSProject procRows
- B. dsjob -run -mode normal -param numRows=200 DSProject procRows
- C. dsjob -run -mode validate -param numRows=200 DSProject procRows
- D. dsjob -run -mode normal -paramfile numRows=200 DSProject procRows
- E. dsjob -run -queue HighPriority -param numRows=200 DSProject procRows

Correct Answer: BE



QUESTION 4

Which job design technique can be used to give unique names to sequential output files that are used in multi-instance jobs?

- A. Use parameters to identify file names.
- B. Generate unique file names by using a macro.
- C. Use DSJobInvocationID to generate a unique filename.
- D. Use a Transformer stage variable to generate the name.

Correct Answer: A

QUESTION 5

Which method is used to specify when to stop a job because of too many rejected rows with an ODBC Connector?

- A. In the Abort when field, select Max
- B. In the Abort when field, select Rows
- C. In the Abort when field, select Count
- D. In the Abort when field, select Amount

Correct Answer: B

[A2090-303 VCE Dumps](#)

[A2090-303 Practice Test](#)

[A2090-303 Braindumps](#)