



A2090-544^{Q&As}

Assessment: DB2 9.7 Advanced DBA for LUW - Assessment

Pass IBM A2090-544 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/a2090-544.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

A table named TAB_A was created with the COMPRESS YES option specified and populated with 100,000 rows. If a DBA wants to create an index on table TAB_A, which statement is true?

- A. In order for the index to be compressed, it must be enabled for compression by specifying the COMPRESS YES option with the CREATE INDEX statement that is used to create it.
- B. The index will automatically be compressed since the table it is associated with is compressed; the ALTER INDEX command does not have to be executed.
- C. In order for the index to be compressed, it must be enabled for compression by specifying the COMPRESS YES option in the CREATE INDEX statement used to create it; however, the index will not be compressed until the ALTER INDEX command is used to create an index compression dictionary.
- D. The index will automatically be enabled for compression because the associated table is compressed; however, the index will not be compressed until it is REORGed.

Correct Answer: B

QUESTION 2

Which database configuration parameters can be used to limit the amount of memory allocated for the LOAD utility?

- A. UTIL_HEAP_SZ and STAT_HEAP_SZ
- B. LOAD_HEAP_SZ and DATABASE_MEMORY
- C. LOAD_HEAP_SZ and STAT_HEAP_SZ
- D. UTIL_HEAP_SZ and DATABASE_MEMORY

Correct Answer: D

QUESTION 3

Given a database created as follows:



```
CREATE DATABASE mydb ON /mnt/data PAGESIZE 8192;
```

If you have two tables defined as:

```
CREATE TABLE t1 (c1 INT, c2 CHAR (200), c3 CHAR (200), c4 CHAR (200), c5 CHAR (200),  
c6 CHAR (200));  
CREATE table t2 (c1 INT, c2 CHAR (200), c3 CHAR (200), c4 CHAR (200), c5 CHAR (200),  
c6 CHAR (200), c7 CHAR (200), c8 CHAR (200));
```

You are running the statement:

```
SELECT a.c1, a.c2, a.c3, b.c4, b.c5, b.c6, b.c7, b.c8  
FROM t1 a, t2 b  
WHERE a.c1=b.c1  
ORDER BY a.c1
```

If each table (T1 and T2) has 50,000 rows, which of the following commands will ensure that the temporary table created by the select statement will fit entirely in the buffer pool, assuming that there is a primary key/ foreign key relationship between column C1 in table T1, and column C1 in table T2?

- A. CREATE BUFFERPOOL bp1 SIZE 20000 PAGESIZE 4k;ALTER TABLESPACE temp space1 BUFFERPOOL bp1;
- B. CREATE BUFFERPOOL bp1 size 10000 PAGESIZE 8k;
- C. CREATE BUFFERPOOL bp1 size 5000 PAGESIZE 16k;ALTER TABLESPACE temp space1 BUFFERPOOL bp1;
- D. CREATE BUFFERPOOL bp1 size 25000 PAGESIZE 32k;

Correct Answer: B

QUESTION 4

Which action(s) will cause a compression dictionary to be removed from a table?

- A. Set the table COMPRESS attribute to NO.
- B. Set the table COMPRESS attribute to NO;run REORG against the table.
- C. Set the table COMPRESS attribute to NO;run INSPECTESETDICTIONARY against the table.
- D. Set the table COMPRESS attribute to NO;run RUNSTATS against the table.

Correct Answer: B

QUESTION 5

Which two operators would indicate inter-partition parallelism in an Optimizer Plan? (Choose two.)

- A. LTQ
- B. HSJOIN



C. BTQ

D. IP

E. DTQ

Correct Answer: CE

[Latest A2090-544 Dumps](#)

[A2090-544 VCE Dumps](#)

[A2090-544 Exam Questions](#)