



A2090-610^{Q&As}

Assessment: DB2 10.1 Fundamentals - Assessment

Pass IBM A2090-610 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/a2090-610.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which type of constraint can be used to tell the DB2 Optimizer that a parent-child relationship exists between two tables, but that the relationship is not enforced?

- A. Check
- B. Unique
- C. Referential
- D. Informational

Correct Answer: D

QUESTION 2

When is it appropriate to use a sequence?

- A. When you want to control the order in which triggers are fired.
- B. When you want to control the order in which stored procedures can be invoked.
- C. When you want to automatically generate a numeric value that is not tied to any specific column or table.
- D. When you want to automatically generate a numeric value for each row that is added to a specific table.

Correct Answer: C

QUESTION 3

Which tool allows users to connect to a DB2 database using a wizard?

- A. Control Center
- B. IBM Data Studio
- C. Universal Connection Expert
- D. DB2 Connection Pool Manager

Correct Answer: B

QUESTION 4

Which action needs to be performed in order to complete the definition of an application-period temporal table?

- A. A transaction-start-id column must be defined for the table.



- B. A history table must be defined and associated with the base table.
- C. A BUSINESS_TIME period must be specified in a CREATE or ALTER of the table.
- D. A unique index must be created that prevents overlapping of the BUSINESS_TIME period of the table.

Correct Answer: C

QUESTION 5

Given the following statements:

```
CREATE TABLE employee (empid INTEGER, info XML);  
  
INSERT INTO employee VALUES (1,  
'<employeeinfo>  
  <name>Joe Smith</name>  
  <department name="DB2">  
    <team>Development</team>  
  </department>  
</employeeinfo>');
```

If the following XQuery statement is executed:

```
XQUERY  
for $info in db2-fn:xmlcolumn('EMPLOYEE.INFO')/employeeinfo  
return $info/name
```

What will be the result?

- A. Joe Smith
- B. Joe Smith
- C. Joe Smith>DB2
- D. Joe Smith

Correct Answer: B