



A4040-221^{Q&As}

Assessment: AIX 7 Administration

Pass IBM A4040-221 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/a4040-221.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Solid State Drives (SSDs) have been added to a POWER7 system, and the administrator would like to migrate filesystems with high I/O activity to the SSDs. What TWO options or commands will assist the administrator with identifying filesystem activity? (Select 2)

- A. svmon
- B. tprof
- C. filemon
- D. Hot File Detection
- E. fileplace

Correct Answer: CD

QUESTION 2

In addition to enabling remote command execution, which task highlighted in the graphic below must be visited to enable an administrator with hmcoperator permissions to run HMC commands from another server using ssh?



HMC Management (HMC Version)

Operations

- View HMC Events • View the event log of HMC operations and activities
- Shut Down or Restart • Shut down or restart the HMC
- Schedule Operations • Schedule selected operations for the HMC
- Format Media • Format a DVD, diskette, or USB flash memory device
- Back up HMC Data • Back up HMC information to DVD, to a remote system, or to a remote site
- Restore HMC Data • Restore critical HMC data from a remote source
- Save Upgrade Data • Save upgrade data to the HMC hard drive or DVD
- Change Network Settings ← • View current network information and change settings
- Test Network Connectivity • View network diagnostic information about the network protocols for the HMC
- View Network Topology • View and ping nodes within the management console's network topology
- Tip of the Day • Display tips for using the console
- View Licenses • Read the licenses for the product
- Change Default User Interface Settings • Customize the default appearance of the HMC user interface
- Change User Interface Settings • Customize the appearance of the HMC user interface
- Change Date and Time • Change the date and time for the HMC
- Launch Guided Setup Wizard • Step through setting up your HMC users, passwords, network settings, and customer notification of problems

Administration

- Change User Password • Change your password
- Manage User Profiles and Access • Add, copy, remove, and modify HMC system users and user profiles
- Manage Task and Resource Roles ← • Add, copy, remove, and modify managed resource and task roles
- Manage Users and Tasks • View the logged on users and the tasks they are running
- Manage Certificates • Create, modify, delete, and import certificates used on the HMC, and view certificate signing information
- Configure KDC • Key Distribution Center Configuration
- Configure LDAP • Enterprise Directory Service Configuration
- Remote Command Execution • Enable or disable the command line interface on an HMC
- Remote Virtual Terminal ← • Enable or disable virtual terminal connections for remotely connected HMC sessions
- Remote Operation ← • Control whether this HMC can be operated using a web browser from a remote workstation
- Change Language and Locale • Change the HMC user interface language and locale
- Create Welcome Text • Customize the greeting displayed before logging on
- Manage Data Replication • Share customizable data between HMCs including custom group data, customer information, and more
- Manage Install Resources • Add and remove operating environment install image resources on the HMC

- A. "Change Network Settings" to open port 22
- B. "Remote Operation" to indicate that this HMC can be operated from a remote host
- C. "Remote Virtual Terminal" to enable virtual terminal connections for remotely connected HMC
- D. "Manage Task and Resource Roles" to give the hmcoperator task role permission to ssh to the HMC from a remote host

Correct Answer: A

QUESTION 3

What is the purpose of using tape drive special files?

- A. To specify an action during certain tape operations
- B. To eject tapes at the end of a tape operation



- C. To configure alternate pathing of tape devices
- D. To enable the tape SCSI Device Driver for a device

Correct Answer: A

QUESTION 4

Which configuration will provide an LPAR maximum network resilience and performance with two Ethernet adapters?

- A. Configure both Ethernet adapters as IEEE 802.3ad link Aggregated with src_dst_port mode
- B. Configure EtherChannel using Internet Protocol over InfiniBand (IPoB) with 64K TCP/IP MTU 64K Superpacket
- C. Configure EtherChannel with one Ethernet adapter as primary adapter and one as backup with hash mode roundrobin
- D. Configure both adapters with Quality of Server (QoS) adapters and configure virtual IP address on interfaces

Correct Answer: A

QUESTION 5

Two different administrators are asked to change the hostname of a system due to a misunderstanding. The current hostname is set to misunderstanding. The current hostname is set to `ozi`. The first administrator thinks the hostname should be set to `kiwi` and he runs the command:

```
# hostname kiwi
He checks his work by running the hostname command again and he sees this output # hostname kiwi
The second administrator thinks the hostname should be texan and he runs the command: # uname -S texan
He checks his work by running uname -n and sees the output # uname -n texan
```

What will be the output of the hostname and uname -n command when the system reboots?

- A. The output of both commands will be `kiwi` after reboot.
- B. The output of both commands will be `texan` after reboot.
- C. The output of both commands will be `ozi` after reboot.
- D. The output of the hostname command will be `kiwi` and the output of the uname -n command will be `texan`.

Correct Answer: C

[Latest A4040-221 Dumps](#)

[A4040-221 VCE Dumps](#)

[A4040-221 Brindumps](#)