



# BH0-007<sup>Q&As</sup>

ISEB Intermediate Certificate in Software Testing

**Pass ISEB BH0-007 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/bh0-007.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by ISEB  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which of the following would be applicable as part of a test policy for testing these types of systems?

a.

Systems must be tested for compliance to industry standard routing protocols.

b.

Testing for the latest upgrade will require testing of increased network traffic of 100%.

c.

Testing for the fix will require the use of dynamic analysis tools.

d.

Releases will not be made if systems have any high priority defects outstanding.

A.

a and b.

B.

a and d.

C.

b and c.

D.

b and d.

Correct Answer: B

---

### QUESTION 2

When a software defect in a system has been found and fixed, which of the following activities should be undertaken next?

a.

Debugging.

b.

Confirmation testing.

c.



Regression testing.

d.

System testing.

e.

Static testing.

A.

a and b.

B.

b and c.

C.

c and d.

D.

c and e.

Correct Answer: B Case Study# 4Scenario

A bank is upgrading its systems to include an on-line investment service, allowing investors to trade with each other, in a mini-stock market environment.

The upgrade will be carried out using Agile development (within the Scrum framework). Here, the iterations are referred to as Sprints. For each Sprint the required functionality will be defined as a set of user-stories.

The user stories are typically 1-2 lines long, indicating what the business wants the system to do. These user stories will be built then tested.

There will be 3 Sprints:

- 1) Creation of the mini-stock market trading environment.
- 2) Creation of additional front-end enhancements.
- 3) Linking to stock exchange for pricing.

You are the test manager. You lead a team of 4 testers, and there are 6 developers. Your team has worked on Agile projects previously, and on average, Sprints usually last 4 weeks. At the end of all Sprints, a full end to end test is carried out. This is called the E2E test phase. You are worried that 4 weeks will not be sufficient time for the first Sprint. You have decided to conduct a Risk Management exercise before the project starts.

---

### QUESTION 3



Which one is a product risk associated with the air quality management system?

- A. The system required to monitor oxygen levels may be more expensive than those required to monitor air temperatures.
- B. SubInc may need to recruit extra developers and testers to deliver the project on time.
- C. Oxygen levels may reach dangerously low levels.
- D. Extreme temperatures may lead to heat exhaustion of personnel.

Correct Answer: C

---

#### QUESTION 4

Which of the following would be an entry criterion into site acceptance testing for the air quality monitoring system?

- A. That the code written to fulfil the requirement to monitor carbon dioxide levels has been 100% path tested.
- B. That the functional specification accurately reflects requirements R1 and R2.
- C. That the system has been tested at levels of oxygen usage well beyond anticipated personnel levels.
- D. That the requirements for temperature control have been signed-off.

Correct Answer: C

---

#### QUESTION 5

Which of the following best describes a testing challenge of the application domain of the routers described?

- A. Testing that the receivers PC can store emails routed to it.
- B. Testing that large organisations can scan incoming files routed to them for viruses.
- C. Testing that packets are delivered by the routers in the required timescales.
- D. Testing that files can be sent in any language.

Correct Answer: C

[BH0-007 VCE Dumps](#)

[BH0-007 Study Guide](#)

[BH0-007 Brindumps](#)