



C2040-410^{Q&As}

IBM Notes and Domino 9.0 Social Edition Application Development B

Pass IBM C2040-410 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c2040-410.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Jessica wants to resize a text field from its default size. What should she enter in the HTML attributes for the field?

- A. ROWS=10 COLS=20
- B. "ROWS=10 COLS=20"
- C. SIZE=75 MAXLENGTH=100
- D. "SIZE=75 MAXLENGTH=100"

Correct Answer: C

QUESTION 2

Peter is writing a Java agent for his application that will need to read data from a text file on the server. How can Peter accomplish this task?

- A. Use the Session class createFile method and use the File class methods to get the data from the file.
- B. Use the Session class Open method and use the standard Java IO methods to get the data from the file.
- C. Use the Session class createStream method and use the Stream class methods to get the data from the file.
- D. Use the Session class getDatabase method, supply the name of the file instead of a database name, and use the Database class methods to read the file.

Correct Answer: C

QUESTION 3

By default, in which file type are custom controls stored within the Eclipse workspace?

- A. .ccs
- B. .xsp
- C. .xsc
- D. .tmp

Correct Answer: B

QUESTION 4

A developer is working on an XPage and there is a client-side feature that needs to compute a value from a viewScope variable docStatus. Which Expression Language syntax will compute the value client-side?



- A. `var myStatus = viewScope.get(\\'docStatus\\');`
- B. `var myStatus = "{#viewScope.get(\\'docStatus\\')}`"
- C. `var myStatus = "#{javascript:viewScope;docStatus;}"`
- D. `var myStatus = "#{javascript:viewScope.get(\\'docStatus\\');}"`

Correct Answer: D

QUESTION 5

If a document contains rich content in native IBM Notes (CD) format, what could be used to access that data as MIME content?

- A. The GetMIMEEntity method of the NotesItem class.
- B. The ConvertMIME property of the NotesSession class.
- C. The GetMIMEEntity method of the NotesDocument class.
- D. The ConvertToMIME method of the NotesDocument class.

Correct Answer: D

[C2040-410 PDF Dumps](#)

[C2040-410 VCE Dumps](#)

[C2040-410 Study Guide](#)