

# C2090-311<sup>Q&As</sup>

IBM DB2 10.5 DBA for LUW Upgrade from DB2 10.1

# Pass IBM C2090-311 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/c2090-311.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



# https://www.geekcert.com/c2090-311.html

### 2024 Latest geekcert C2090-311 PDF and VCE dumps Download

#### **QUESTION 1**

Which two HADR synchronization modes are supported in DB2 10.5 pureScale environments	s?
---	----

- A. SYNC
- B. ASYNC
- C. NEARSYNC
- D. SUPERSYNC
- E. SUPERASYNC

Correct Answer: BC

#### **QUESTION 2**

If the DB2\_WORKLOAD registry variable is set to ANALYTICS, what value will be assigned to the DFT\_DEGREE database configuration parameter, by default?

- A. -1
- B. 1
- C. ON
- D. ANY

Correct Answer: A

#### **QUESTION 3**

Which type of compression is typically used with column-organized tables?

- A. BLU compression
- B. Value compression
- C. Actionable compression
- D. Adaptive row compression

Correct Answer: A

#### **QUESTION 4**

If the following commands are executed successfully:



## CREATE DATABASE my\_db ON /mnt/fs1, mnt/fs2 PAGESIZE 4096; UPDATE DB CFG FOR my db USING EXTENDED ROW SZ ENABLE;

Which SQL statement will fail?

- A. CREATE TABLE tab\_a (col1 INT NOT NULL, col2 VARCHAR(5000)) ORGANIZE BY (col1)
- B. CREATE TABLE tab\_a (col1 INT NOT NULL, col2 VARCHAR(5000))
- C. CREATE TABLE tab\_a (col1 INT NOT NULL, col2 VARCHAR(5000)) ORGANIZE BY KEY SEQUENCE (col1 STARTING FROM 1 ENDING AT 100000) ALLOW OVERFLOW
- O D. CREATE TABLE tab a (col1 INT NOT NULL, col2 VARCHAR(5000)) PARTITION BY RANGE (col1) (STARTING 0 EXCLUSIVE ENDING 100 INCLUSIVE)
- A. Option A
- B. Option B
- C. Option C
- D. Option D

Correct Answer: C

#### **QUESTION 5**

When does space reclamation for a column-organized table normally occur?

- A. Whenever an individual row is deleted.
- B. Whenever an individual row is updated.
- C. After all rows in an extent have been updated.
- D. After all rows in an extent where updates took place have been deleted.

Correct Answer: A

C2090-311 PDF Dumps C2090-311 Study Guide C2090-311 VCE Dumps