



C2090-317^{Q&As}

DB2 11 System Administrator for z/OS

Pass IBM C2090-317 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c2090-317.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which combination of subsystem parameter values will enable connection pooling for idle distributed database access threads?

- A. Specify subsystem parameter CMTSTAT = ACTIVE and set CONDBAT = MAXDBAT.
- B. Specify subsystem parameter CMTSTAT = INACTIVE and set CONDBAT
- C. Specify subsystem parameter CMTSTAT = ACTIVE and set CONDBAT > MAXDBAT.
- D. Specify subsystem parameter CMTSTAT = INACTIVE and set CONDBAT >MAXDBAT.

Correct Answer: C

QUESTION 2

Having to deal with data inconsistency during a disaster recovery can significantly impact the length of time needed to recover. One of the actions that could be taken to prevent this from occurring is to not take an image copy of a data set that contains inconsistent data.

Which two options can be used to help prevent taking an image copy of inconsistent data?

- A. Run the DIAGNOSE utility before making an image copy.
- B. Run the CHECK DATA utility before making an image copy.
- C. Use the CHECKPAGE option when running the COPY utility.
- D. Prior to making an image copy, run DSN1 COPY with the CHECK option.
- E. At install time, use the DSNTIJIC install job to take a full image copy of the DB2 catalog and directory.

Correct Answer: CD

QUESTION 3

You wish to enforce a system-wide limit on the maximum number of parallel subtasks for utilities REORG TABLESPACE, REBUILD INDEX, CHECK INDEX, UNLOAD, and LOAD, to 16 parallel subtasks per utility execution.

Which action, if any will enforce this limit?

- A. Set subsystem parameter PARAMDEG to 16.
- B. Set subsystem parameter PARAMDEGJJTIL to 16.
- C. Set subsystem parameter INDEX_IO_PARALLELISM to 16.
- D. DB2 does not allow for a system level limit for parallel subtasks in these utilities. The limit can only be specified with the utility keyword PARALLEL n.



Correct Answer: A

QUESTION 4

How can you create a dynamic location alias?

- A. Use the CREATE ALIAS statement.
- B. Issue the -MODIFY DDF ALIAS ADD command.
- C. INSERT a dynamic alias row into SYSIBM.LOCATIONS.
- D. Execute the DSNJU003 utility with a DDF ALIAS statement.

Correct Answer: D

QUESTION 5

You wish to set the maximum allocation of sort storage to 5000 kilobytes for a query that contains an ORDER BY clause.

Which action will accomplish this?

- A. Set subsystem parameter MAXRBLK to 5000.
- B. Set subsystem parameter MAXSORTJNV1MEMORY to 5000.
- C. Issue command-ALTER BUFFERPOOL(BP7) VPSIZE(5000).
- D. DB2 does not allow for user control of this maximum allocation.

Correct Answer: B

[Latest C2090-317 Dumps](#)

[C2090-317 VCE Dumps](#)

[C2090-317 Practice Test](#)