



C2090-421^{Q&As}

InfoSphere DataStage v8.5

Pass IBM C2090-421 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/C2090-421.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center


-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

In the exhibit, a Funnel stage has two input links. Input 1 (Seq_File) comes from a SequentialFile with "Readers per Node" set to "2". Input 2 (DataSet) comes from a dataset created with 3 partitions. With the Funnel stage, the funnel type is set to "Sequence". The parallel configuration file contains three nodes.



How many instances of the Funnel stage run in parallel?

- A. 1
- B. 2
- C. 3
- D. 6

Correct Answer: C

QUESTION 2

When you run a parallel job, any error messages and warnings are written to the job log and can be viewed from the Director client. What two levels of message handlers are there? (Choose two.)

- A. stage level
- B. job level
- C. project level
- D. record level

Correct Answer: BC



QUESTION 3

You are about to begin major changes to jobs in a project. You want to conveniently identify job changes on an ad hoc basis. What two tasks will allow you to identify changes to your jobs? (Choose two.)

- A. Import the original job from a .dsx export.
- B. Select the job, then right click Compare within.
- C. Select the job, then right click Cross Project Compare.
- D. Before making a change to a job make a copy of the job in a different category folder.

Correct Answer: BD

QUESTION 4

The derivation for a stage variable is: `Uppcase(input_column1) : '\\ ' : Uppcase(input_column2)`. Suppose that `input_column1` contains a NULL value. Which behavior is expected?

- A. The job aborts.
- B. NULL is written to the target stage variable.
- C. The input row is either dropped or rejected depending on whether the Transformer has a reject link.
- D. The target stage variable is populated with spaces or zeros depending on the stage variable data type.

Correct Answer: B

QUESTION 5

A job needs to split a single Data Set into three Data Sets based on conditions that are supplied at runtime. Which stage would allow you to parameterize the conditions for splitting the input data set?

- A. Filter stage
- B. Switch stage
- C. Transformer stage
- D. Split Vector stage

Correct Answer: A



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

- 100% Guaranteed Success
- 100% Money Back Guarantee
- 365 Days Free Update
- Instant Download After Purchase
- 24x7 Customer Support
- Average 99.9% Success Rate
- More than 800,000 Satisfied Customers Worldwide
- Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.geekcert.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © geekcert, All Rights Reserved.