

C2090-544<sup>Q&As</sup>

DB2 9.7 Advanced DBA for LUW

# Pass IBM C2090-544 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/C2090-544.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

800,000+ Satisfied Customers





### **QUESTION 1**

When an agent that is connected to the database finishes its work of successfully processing a query, what happens to the agent?

- A. It terminates immediately.
- B. It remains active as long as the MAXAGENTS setting is not exceeded.
- C. It is placed in the agent pool if the connection is terminated.
- D. It automatically releases the database connection and returns to the pool.

Correct Answer: C

## **QUESTION 2**

A DBA has configured an Oracle data source in a federated database (that references a table named ORA1). How do you update the statistics for table ORA1 at the federated server?

- A. Perform the equivalent of RUNSTATS on ORA1 in Oracle.
- B. Perform RUNSTATS on the ORA1 nickname at the federated server.
- C. Perform the equivalent of RUNSTATS on ORA1 in Oracle; then perform RUNSTATS on the ORA1 nickname.
- D. Perform the equivalent of RUNSTATS on ORA1 in Oracle; then drop and re-create the ORA1 nickname.

Correct Answer: D

### **QUESTION 3**

Given INTRA\_PARALLEL is OFF, average row length is 900 bytes, and temporary table cardinality is 1000, which setting would prevent a SORTHEAP overflow when the temporary table is sorted?

- A. SORTHEAPTHRES 10000K, SORTHEAP 250K
- B. SORTHEAPTHRES 10000K
- C. SORTHEAP AUTOMATIC, SHEAPTHRES 10000K
- D. SORTHEAP AUTOMATIC, SHEAPTHRES 0

Correct Answer: D



### **QUESTION 4**

Which method should be used to construct an LBAC security component that represents a person\\'s level of trust?

A. SET

B. TREE

C. ARRAY

D. ORDER

Correct Answer: C

### **QUESTION 5**

If you know that the table space containers for your database reside on RAID-5 3+p arrays, which registry variable should be assigned the value \*:3 to help improve performance?

- A. DB2\_APM\_PERFORMANCE
- B. DB2\_EXTENDED\_IO\_FEATURES
- C. DB2\_RESOURCE\_POLICY
- D. DB2\_PARALLEL\_IO

Correct Answer: D

Latest C2090-544 Dumps

C2090-544 Practice Test

C2090-544 Braindumps



To Read the Whole Q&As, please purchase the Complete Version from Our website.

# Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

# https://www.geekcert.com/allproducts

# **Need Help**

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:



#### **One Year Free Update**



Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.



Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for <u>30 days</u>

from the date of purchase



#### Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

Any charges made through this site will appear as Global Simulators Limited. All trademarks are the property of their respective owners. Copyright © geekcert, All Rights Reserved.