



C2090-545^{Q&As}

DB2 9.7 SQL Procedure Developer

Pass IBM C2090-545 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c2090-545.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which command can be used to optimize static SQL statements containing parameterized queries?

- A. SET CURRENT EXPLAINMODE=REOPT
- B. SET CURRENT EXPLAIN MODE=EXPLAIN
- C. SET CURRENT EXPLAIN MODE=YES
- D. SET CURRENT EXPLAIN MODE=PARAM

Correct Answer: A

QUESTION 2

Which tool can be used to get quick static SQL Explain data from packages?

- A. db2expln
- B. db2exfmt
- C. Control Center
- D. DB2 command center

Correct Answer: A

QUESTION 3

The CREATE OR REPLACE PROCEDURE statement is similar semantically to which of the following combined statements?

- A. DROP and CREATE PROCEDURE
- B. ALTER and CREATE PROCEDURE
- C. UPDATE and CREATE PROCEDURE
- D. DROP and ALTER PROCEDURE

Correct Answer: A



QUESTION 4

Click the Exhibit button.

```
CREATE FUNCTION emp_birthdays (month INTEGER)
  RETURNS TABLE (l_name VARCHAR(15),
                 f_name VARCHAR(12),
                 month VARCHAR(20),
                 day INTEGER)
  LANGUAGE SQL
  READS SQL DATA
  NO EXTERNAL ACTION
  RETURN
  SELECT lastname, firstnme, MONTHNAME(birthdate),
     DAY(birthdate)
  FROM employee
  WHERE MONTH(employee.birthdate) =
    emp_birthdays.month
```

A user-defined function was created using the statement shown in the exhibit.

Which additional option can be added to the CREATE FUNCTION statement to tell the optimizer that the function doesnot always return the same results for a given argument value?

- A. NO EXTERNAL ACTION
- B. NOT FENCED
- C. NOT DETERMINISTIC
- D. STATIC DISPATCH

Correct Answer: C

QUESTION 5

Given the procedure shown below:

```
CREATE PROCEDURE proc ()
  BEGIN ATOMIC
    INSERT INTO mytable (col1) VALUES ('a');
    INSERT INTO mytable (col1) VALUES ('b');
    SIGNAL SQLSTATE '70000';
    INSERT INTO mytable (col1) VALUES ('c');
  END
```

How many rows will be inserted in thetable?



A. 0

B. 1

C. 2

D. 3

Correct Answer: A

[Latest C2090-545 Dumps](#)

[C2090-545 PDF Dumps](#)

[C2090-545 Practice Test](#)