



C2090-545^{Q&As}

DB2 9.7 SQL Procedure Developer

Pass IBM C2090-545 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c2090-545.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which two statements are true about SQL procedures? (Choose 2)

- A. SQL procedures reside outside of the database for easy portability.
- B. SQL procedures cannot be called from triggers.
- C. SQL procedures may return multiple result sets to the caller or to a client application.
- D. SQL procedures support recursion.
- E. SQL procedures support the PRINT statement.

Correct Answer: CD

QUESTION 2

If this statement was used to create an SQL procedure named P_EXIT: What will the return status be?

```
CREATE PROCEDURE p_exit (IN p_in INTEGER, OUT p_out INTEGER)
BEGIN
  IF (p_in < 0) THEN
    SIGNAL SQLSTATE '70001' SET MESSAGE_TEXT = 'Custom SQL State';
  ELSEIF (p_in < 10) THEN
    RETURN 10;
  ELSE
    SET p_out = 20;
  END IF;
  RETURN 99;
END
```

- A. 10
- B. 20
- C. 99
- D. NULL

Correct Answer: C

QUESTION 3

In a SQL Procedure, rows_fetched is an integer variable and curEmp is a cursor variable of SELECT statement on a



table. After opening the cursor curemp, which of the statement will determine the number of rows fetched?

- A. SET rows_fetched = curEmp%CURSOR_ROWCOUNT
- B. SET rows_fetched = curEmp%ROWCOUNT
- C. SET rows_fetched =CURSOR_ROWCOUNT(curemp)
- D. SET rows_fetched = ROWCOUNT(curemp)

Correct Answer: C

QUESTION 4

Click the Exhibit button.

A table named DEPT is created using the following DDL:

```
CREATE TABLE dept (id INT NOT NULL, name  
CHAR(9), salary DEC(7,2), comm  
DEC(7,2), PRIMARY KEY (id))
```

Immediately after the table is created, the following
CREATE PROCEDURE statement is issued:

```
CREATE PROCEDURE test5 ()  
BEGIN NOT ATOMIC  
  DECLARE v1 VARCHAR(10);  
  INSERT INTO dept ( id, name) VALUES ( 10, 'Sales');  
  INSERT INTO dept ( id, name) VALUES ( 20,  
'Service');  
  INSERT INTO dept ( id, name) VALUES ( 30,  
'Service');  
  SIGNAL SQLSTATE '70000';  
  INSERT INTO dept ( id, name) VALUES ( 40,  
'Service');  
END
```

The procedure TEST5 shown in the exhibit was invoked. How many rows will be added to the DEPT table?

- A. 1
- B. 2
- C. 3
- D. 4

Correct Answer: C



QUESTION 5

Which action is supported by Data Studio in the SQL procedure lifecycle?

- A. Create global temporary tables to use in the SQL procedure.
- B. Debug the SQL procedure.
- C. Use auto complete SQL statements.
- D. Create user-define types in the SQL procedure.

Correct Answer: B

[C2090-545 Practice Test](#)

[C2090-545 Study Guide](#)

[C2090-545 Exam Questions](#)