



# C2090-610<sup>Q&As</sup>

DB2 10.1 Fundamentals

**Pass IBM C2090-610 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c2090-610.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





#### QUESTION 1

Which action needs to be performed in order to complete the definition of an application-period temporal table?

- A. A transaction-start-id column must be defined for the table.
- B. A history table must be defined and associated with the base table.
- C. A BUSINESS\_TIME period must be specified in a CREATE or ALTER of the table.
- D. A unique index must be created that prevents overlapping of the BUSINESS\_TIME period of the table.

Correct Answer: C

---

#### QUESTION 2

When a COMMIT statement is executed, what happens?

- A. All locks held on the database are automatically released.
- B. Data stored in global temporary tables is automatically deleted.
- C. Open cursors defined WITH HOLD are closed, but their data is retained.
- D. The current transaction is terminated and a new transaction boundary is started.

Correct Answer: D

---

#### QUESTION 3

Which SQL statement will retrieve the department number (WORKDEPT) and average departmental salary (SALARY) for all departments in a table named EMPLOYEE and arrange the result set in ascending order by average departmental salary?

- A. SELECT workdept, AVG(salary) FROM employee ORDER BY workdept GROUP BY 2
- B. SELECT workdept, AVG(salary) FROM employee ORDER BY workdept ARRANGE BY 2
- C. SELECT workdept, AVERAGE(salary) FROM employee GROUP BY workdept ORDER BY 2
- D. SELECT workdept, AVG(salary) FROM employee GROUP BY workdept ORDER BY 2

Correct Answer: D

---

#### QUESTION 4

Which type of table is best suited for recording results from application data manipulation that is not required to be persistent?



- A. Base Table
- B. Temporal Table
- C. Transition Table
- D. Temporary Table

Correct Answer: D

#### QUESTION 5

Given the following statements:

```
CREATE TABLE employee (empid INTEGER, info XML);  
  
INSERT INTO employee VALUES (1,  
'<employeeinfo>  
  <name>Joe Smith</name>  
  <department name="DB2">  
    <team>Development</team>  
  </department>  
</employeeinfo>');
```

If the following XQuery statement is executed:

```
XQUERY  
for $info in db2-fn:xmlcolumn('EMPLOYEE.INFO')/employeeinfo  
return $info/name
```

What will be the result?

- A. Joe Smith
- B. Joe Smith
- C. Joe Smith>DB2
- D. Joe Smith

Correct Answer: B