



C2090-614^{Q&As}

DB2 10.1 Advanced DBA for Linux UNIX and Windows

Pass IBM C2090-614 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c2090-614.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What is a benefit of multi-temperature data storage?

- A. It helps reduce redundant I/O.
- B. It helps improve data compression ratios.
- C. It helps reduce storage costs for infrequently accessed data.
- D. It helps identify data access patterns to aid in storage planning.

Correct Answer: C

QUESTION 2

If the following statements are executed:

```
CREATE STOGROUP sg_hot ON \\path1\\, \\path2\\, \\path3\\; CREATE STOGROUP sg_med ON \\path4\\, \\path5\\, \\path6\\; CREATE TABLESPACE tbsp1 USING STOGROUP sg_hot;
```

What is the recommended way to move table space TBSP1 from storage group SG_HOT to storage group SG_MED?

- A. Issue an ALTER TABLESPACE statement with the \\USING sg_med\\ option.
- B. Issue an ALTER STOGROUP statement with the \\MOVE tbsp1 TO sg_med\\ option.
- C. Perform a table space RESTORE operation with the \\USING STOGROUP sg_hot\\ option.
- D. Use the ADMIN_MOVE_TABLESPACE procedure to move table space TBSP1 to SG_HOT.

Correct Answer: A

QUESTION 3

What contributes to the efficient use of block-based buffer pools?

- A. The application does not use sequential prefetching.
- B. The application performs a lot of random I/O operations.
- C. The table space extent size is equal to the block size specified for the buffer pool.
- D. The table space prefetch size is equal to the block size specified for the buffer pool.

Correct Answer: C

QUESTION 4



Which constraints are used to tell the DB2 Optimizer to consider business rules that are not enforced by the database manager?

- A. Check constraints
- B. Default constraints
- C. Informational constraints
- D. Referential integrity constraints

Correct Answer: C

QUESTION 5

Which configuration parameter is used to designate a storage area for archived log files that are retrieved for recovery purposes?

- A. logarchopt1
- B. failarchpath
- C. mirrorlogpath
- D. overflowlogpath

Correct Answer: D

[C2090-614 PDF Dumps](#)

[C2090-614 Practice Test](#)

[C2090-614 Study Guide](#)