

# C2090-619<sup>Q&As</sup>

IBM Informix 12.10 System Administrator

## Pass IBM C2090-619 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/c2090-619.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



# VCE & PDF GeekCert.com

### https://www.geekcert.com/c2090-619.html

2024 Latest geekcert C2090-619 PDF and VCE dumps Download

#### **QUESTION 1**

Given an OLTP environment with a very large table, which configuration parameter can be set to allocate more memory for sorting when building an index on the large table?

- A. DBUPSPACE
- B. DS\_POOLSIZE
- C. VP\_MEMORY\_CACHE\_KB
- D. DS\_NONPDQ\_QUERY\_MEM

Correct Answer: D

#### **QUESTION 2**

In addition to examining the Connection Manager log file, what are two ways to monitor the Connection Manager status? (Choose two.)

- A. onstat
- B. onmode
- C. oncmsm
- D. onmonitor
- E. OpenAdmin Tool

Correct Answer: AE

#### **QUESTION 3**

The \\'onstat -k\\' output is showing \\'56 lock table overflows\\'. Which catalog table can be used to display the relevant lock statistics?

- A. syslocks
- B. systables
- C. sysprofile
- D. sysoverflow

Correct Answer: C

#### **QUESTION 4**

#### https://www.geekcert.com/c2090-619.html 2024 Latest geekcert C2090-619 PDF and VCE dumps Download

When using the deployment assistant, which two statements are true? (Choose two.)

- A. A java environment must be configured.
- B. The Informix user account must be used.
- C. Chunks can be raw devices or buffered files.
- D. The user must have connect permission to all databases.
- E. The user must have connect privilege to sysadmin database.

Correct Answer: AE

#### **QUESTION 5**

Given the following:

#### **Table Schema**

CREATE TABLE tab1 (
col1 INT,
col2 TEXT ) LOCK MODE PAGE;
CREATE UNIQUE INDEX tab1\_idx1 ON tab1(col1);

#### SELECT Statement

SET ISOLATION TO DIRTY READ; SELECT (+INDEX(tab1 tab1\_idx1)) col1 FROM tab1;

How many locks will be used on tab1 to run the query?

- A. 0
- B. 1
- C. 2
- D. Depends on the number of index pages accessed

Correct Answer: A

C2090-619 PDF Dumps

C2090-619 Practice Test

C2090-619 Braindumps