



C2090-730^{Q&As}

DB2 9 Family Fundamentals

Pass IBM C2090-730 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c2090-730.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Given the following CREATE TABLE statement:

```
CREATE TABLE customer(custid INTEGER, info XML)
```

And the following INSERT statements:

```
INSERT INTO customer VALUES (1000,
```

```
  \ ' John Doe
```

```
    25 East Creek Drive
```

```
    Raleigh
```

```
    North Carolina
```

```
    27603
```

```
    919-555-1212
```

```
    john.doe@abc.com
```

```
  \ );
```

```
INSERT INTO customer VALUES (1000,
```

```
  \ ' Paul Smith
```

```
    412 Stewart Drive
```

```
    Toronto
```

```
    Ontario
```

```
    M8X-3T6
```

```
    919-555-4444
```

```
    psmith@xyz.com
```

```
  \ );
```

What is the result of the following XQuery expression?

```
XQUERY declare default element namespace "http://custrecord.dat"; for $info in db2-fn:xmlcolumn
```



(\\CUSTOMER.INFO\\)/customerinfo where \$info/addr/state-prov="Ontario" return \$info/name/text();

- A. Paul Smith
- B. Paul Smith
- C. Paul Smith
- D. Paul Smith

Correct Answer:

QUESTION 2

Which of the following isolation levels will lock all rows scanned to build a result data set?

- A. Uncommitted Read
- B. Cursor Stability
- C. Read Stability D. Repeatable Read

Correct Answer: D

QUESTION 3

Given that tables T1 and T2 contain the following rows: Table T1: C1 C2

1 4 1 3 1 2 Table T2: C1 C2

1 1 1 2 1 3

Which of the following queries will return only those rows that exist in both T1 and T2?

- A. SELECT * FROM t1 UNION SELECT * FROM t2
- B. SELECT * FROM t1 UNION DISTINCT SELECT * FROM t2
- C. SELECT * FROM t1 INTERSECT SELECT * FROM t2
- D. SELECT * FROM t1 WHERE (c1,c2)= (SELECT c1,c2 FROM t2)

Correct Answer: C

QUESTION 4



A UDT is a data type which:

- A. must contain unique values.
- B. cannot be CAST to other data types.
- C. is created using the CREATE DISTINCT command.
- D. contains a value that was automatically calculated from values in other columns.

Correct Answer: C

QUESTION 5

Which of the following tools for DB2 V9 allows a user to create and debug a SQL stored procedure?

- A. Control Center
- B. Development Center
- C. Developer Workbench
- D. Stored Procedure Builder Security

Correct Answer: C

[C2090-730 Practice Test](#)

[C2090-730 Study Guide](#)

[C2090-730 Exam Questions](#)