



C2180-272^{Q&As}

IBM WebSphere Message Broker V8.0 Solution Development

Pass IBM C2180-272 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/C2180-272.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A message flow developer needs to create a message definition to model a COBOL document that starts with the following definition.

```

01 CUSTOMER-RECORD.
05 TYPE-OF-NAME          PIC X.
   88 PERSON             VALUE 0.
   88 CORPORATION        VALUE 1.
05 CUSTOMER-NAME.
   10 LAST-NAME          PIC X(15).
   10 FIRST-NAME         PIC X(8).
05 COMPANY-NAME REDEFINES CUSTOMER-NAME
   PIC X(23).
  
```

Using the MRM-TDS physical format, what type of message model should the solution developer create?

- A. A single message definition that contains a tagged/fixed length choice.
- B. A single message definition that contains a tagged/fixed length sequence.
- C. Two message definitions, one tagged/delimited and one tagged/fixed length.
- D. Two message definitions, both tagged/fixed length.

Correct Answer: A


QUESTION 2

An application sends a length encoded file that looks like the extract below. The first 3 bytes of each record indicates the size of the data that follows it.

```

001A
002AB
003ABC
004ABCD
003abc
002ab
001A
  
```

A solution developer creates a `data` complex type in the Tagged/Delimited String (TDS) format with two constituent elements `dataLength` and `data`, as per the screen capture below.





If both of these elements have their Physical Type set to Text, which one of the following options must the solution developer choose to correctly model the input data?

- A. dataLength of type xsd:int A.dataLength of type xsd:int data of type xsd:int with Length Reference set to dataLengthdata of type xsd:int with Length Reference set to dataLength
- B. dataLength of type xsd:short B.dataLength of type xsd:short data of type xsd:string with Length Reference set to dataLengthdata of type xsd:string with Length Reference set to dataLength
- C. dataLength of type xsd:int C.dataLength of type xsd:int data of type xsd:string with Length Reference set to dataLength and Inclusive Length Reference enableddata of type xsd:string with Length Reference set to dataLength and Inclusive Length Reference enabled
- D. dataLength of type xsd:string D.dataLength of type xsd:string data of type xsd:string with Length Reference set to dataLength and Inclusive Length Reference enableddata of type xsd:string with Length Reference set to dataLength and Inclusive Length Reference enabled

Correct Answer: B

QUESTION 3

An international fund transfer acknowledgement message having the below format is to be validated, before being sent to the payment gateway.

```
{1:F01IBMADEFP0AXX2000000000}{2:1103IBMADEFP0AXXN}{3:{108:103 0003ACK } (4:
:20:16x
:23B:SPAY
:33A:001118USD3,34
:33B:USD3,34
:50A:/34x
CHASUS33
:59:/34x
4X35x
:71A:BEW
:71F:USD1,34
:77B:35x
2X35x
-)}
```



A solution developer has to implement a message validator for these transactions. What message domain should the solution developer use to do so?


- A. MIME
- B. MRM-TDS
- C. MRM-CWF
- D. DataObject

Correct Answer: B

QUESTION 4



A company has implemented the following message flow to process orders received: The ORDERS.IN node has the Transaction mode set to Yes. When a failure occurs in the CalculatePrice node it is noticed that the database updates performed in the UpdateOrderDB node are not rolled back. How should the solution developer modify the flow in order to rollback the database updates in the event of a failure?



- A. Add a Throw node following ORDER.ERROR.
- B. Change the Transaction mode of ORDERS.IN to Automatic.
- C. Set the Throw exception on database error property on UpdateOrderDB.
- D. Insert a TryCatch node between UpdateOrderDB and CreateShippingInfo to handle the error.

Correct Answer: A

QUESTION 5

A solution developer needs to troubleshoot why a message flow does not process any messages from a remote resource. To review how the message flow interacts with all external resources, where should the solution developer look?

- A. The ODBC log.
- B. The JVERBOSE log.
- C. The WebSphere MQ log.
- D. The WebSphere Message Broker Activity log.

Correct Answer: D



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

- 100% Guaranteed Success
- 100% Money Back Guarantee
- 365 Days Free Update
- Instant Download After Purchase
- 24x7 Customer Support
- Average 99.9% Success Rate
- More than 800,000 Satisfied Customers Worldwide
- Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.geekcert.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © geekcert, All Rights Reserved.