



C2180-279^{Q&As}

IBM Worklight V6.0 Mobile System Administration

Pass IBM C2180-279 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c2180-279.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

A developer previewing a Worklight application for an Android device in the Mobile Browser Simulator now wants to preview the application for an iOS device. Is it possible to preview the application for both devices on a same page of the Mobile Browser Simulator?

- A. No because the developer can view only one device at a time.
- B. Yes by clicking the Add Device button to select another device.
- C. Yes by enabling the User Agent switching to select another device.
- D. Yes by adding another device in the Device section of the Cordova API plugin.

Correct Answer: B

QUESTION 2

An application's authenticationConfig.xml file contains the following configuration:

```
<securityTests>
  <customSecurityTest name="SingleStepAuthAdapter-securityTest">
    <test isInternalUserID="true" realm="SingleStepAuthRealm"/>
  </customSecurityTest>
</securityTests>
<realm name="SingleStepAuthRealm" loginModule="SingleStepAuthModule">
  <className>com.worklight.integration.auth.AdapterAuthenticator</className>
  <parameter name="login-function" value="SingleStepAuthAdapter.onAuthRequired" />
  <parameter name="logout-function" value="SingleStepAuthAdapter.onLogout" />
</realm>
<loginModule name="SingleStepAuthLoginModule" canBeResourceLogin="true" isIdentityAssociationKey="false">
  <className>com.worklight.core.auth.ext.NonValidatingLoginModule</className>
</loginModule>
```

Which action must the developer perform to support the configuration?

- A. Write a custom login module using the NonValidatingLoginModule.
- B. Create a com.worklight.integration.auth.AdapterAuthenticator class for credential verification.
- C. Create the SingleStepAuthAdapter and implement the onAuthRequired and onLogout functions.
- D. Use the WL.Client.createChallengeHandler method in client application to send the credentials to the adapter.

Correct Answer: C

QUESTION 3

A Worklight mobile application uses a native page to display a real-time graph of the price of a stock symbol. The native page is invoked from a web page using the WL.NativePage.show() method and requires a parameter that contains the value of the stock symbol to display. To pass the value of "IBM" as a parameter to the native page using the parm variable, how should the variable be initialized before passing it to the method?



- A. var parm = "IBM";
- B. var parm = ["IBM"];
- C. var parm = {symbol: "IBM"};
- D. var parm = ["symbol", "IBM"];

Correct Answer: C

QUESTION 4

Which of the following invocationData properties are mandatory? (Choose two)

- A. "invocation"
- B. "adapter"
- C. "procedure"
- D. "parameters"

Correct Answer: BC

QUESTION 5

What is the default project application structure?

- A. A single HTML file and a number of CSS and JS files
- B. A number of HTML and JS files and a single CSS file
- C. A number of HTML, JS and CSS files
- D. A single HTML, single CSS and a single JS file

Correct Answer: A

[Latest C2180-279 Dumps](#)

[C2180-279 PDF Dumps](#)

[C2180-279 Practice Test](#)