



C2180-279^{Q&As}

IBM Worklight V6.0 Mobile System Administration

Pass IBM C2180-279 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c2180-279.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which of the following server-side components cannot be added as a part of Worklight Project?

- A. Source code of a custom server-side Java classes
- B. Properties that should be used by server
- C. JAR files containing server-side Java code
- D. JMeter application to test Server\'s performance

Correct Answer: D

QUESTION 2

A developer is preparing a Worklight mobile application for deployment to a production environment where the Worklight Server core database is stored on DB2 and must be accessed using the WorklightDS data source.

Which database properly settings must the developer specify in the application\'s worklight.properties file to properly configure it for deployment to the production environment?

- A. wl.db.type=DB2 wl.dta.url=jdtac:db2:WorklightDS
- B. wl.db.type=DB2 wl. db. j ndi.name=j dbc/WorklightDS
- C. wl.db.driver=com.ibm.db2.jcc.DB2Driver wl. db. j ndi.neune=jdbc/WorklightDS
- D. wl.db.driver=com.ibm.db2.jcc.DB2Driver wl.db.url=jdbc:db2:WorklightDS

Correct Answer: B

QUESTION 3

A developer is invoking a SQL adapter procedure from a mobile application. The procedure is named getModelByYear and returns data from a table named Auto as follows:

```
ID | Make | Model | Year
0 | Ford | Focus | 2005
1 | Buick | Regal | 2010
2 | Jeep | Liberty | 2009
3 | Dodge | Caliber | 2008
```

Which option represents the returned data when the procedure is invoked with the parameter 2005?



- A. {
 'isSuccessful' : true,
 'resultSet' : { 'Make' : 'Ford', 'Model' : 'Focus' }
}
- B. {
 'isSuccessful' : true,
 'resultSet' : [{ 'Make' : 'Ford', 'Model' : 'Focus' }]
}
- C. {
 'isSuccessful' : true,
 'resultSet' : { 'Ford', 'Focus' }
}
- D. {
 'isSuccessful' : true,
 'resultSet' : [{ 'Ford', 'Focus' }]
}

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: B

QUESTION 4

Once a Shell developer completes developing her Shell components, what is the proper way to distribute it to inner application developers?

- A. Zipping the Worklight project and emailing it to inner application developers
- B. Committing the Worklight project to a Source Control Management system and telling inner application developers to use source code from it
- C. The Shell developer should not distribute the Shell component to inner application developers. They should send their inner applications to her in order to build them
- D. Sending the .wshell Shell bundle file to inner application developers

Correct Answer: D

QUESTION 5



An application's authenticationConfig.xml file contains the following configuration:

```
<securityTests>
  <customSecurityTest name="SingleStepAuthAdapter-securityTest">
    <test isInternalUserID="true" realm="SingleStepAuthRealm"/>
  </customSecurityTest>
</securityTests>
<realm name="SingleStepAuthRealm" loginModule="SingleStepAuthModule">
  <className>com.worklight.integration.auth.AdapterAuthenticator</className>
  <parameter name="login-function" value="SingleStepAuthAdapter.onAuthRequired" />
  <parameter name="logout-function" value="SingleStepAuthAdapter.onLogout" />
</realm>
<loginModule name="SingleStepAuthLoginModule" canBeResourceLogin="true" isIdentityAssociationKey="false">
  <className>com.worklight.core.auth.ext.NonValidatingLoginModule</className>
</loginModule>
```

Which action must the developer perform to support the configuration?

- A. Write a custom login module using the NonValidatingLoginModule.
- B. Create a com.worklight.integration.auth.AdapterAuthenticator class for credential verification.
- C. Create the SingleStepAuthAdapter and implement the onAuthRequired and onLogout functions.
- D. Use the WL.Client.createChallengeHandler method in client application to send the credentials to the adapter.

Correct Answer: C

[Latest C2180-279 Dumps](#)

[C2180-279 VCE Dumps](#)

[C2180-279 Exam Questions](#)