



C2180-279^{Q&As}

IBM Worklight V6.0 Mobile System Administration

Pass IBM C2180-279 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c2180-279.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which Worklight pre-defined authenticators can be used to secure an application that requires the user to login with a user ID and password?

- A. Form-based authenticator or Header-based authenticator
- B. Form-based authenticator or Adapter-based authenticator
- C. Adapter-based authenticator or Header-based authenticator
- D. Form-based authenticator, Adapter-based authenticator or Header-based authenticator

Correct Answer: B

QUESTION 2

A Worklight mobile application uses a native page to display a real-time graph of the price of a stock symbol. The native page is invoked from a web page using the `WL.NativePage.show()` method and requires a parameter that contains the value of the stock symbol to display. To pass the value of "IBM" as a parameter to the native page using the `parm` variable, how should the variable be initialized before passing it to the method?

- A. `var parm = "IBM";`
- B. `var parm = ["IBM"];`
- C. `var parm = {symbol: "IBM"};`
- D. `var parm = ["symbol", "IBM"];`

Correct Answer: C

QUESTION 3

A Worklight application does not need to connect to a server on startup. However, when previewing the application on the device emulator, it is throwing a server connection error on start up. What is the consequence if the connection error is resolved using the `WL.Client.init({connectOnStartup:false})` API to disable the connection to the server on application startup?

- A. The application will not be able to subsequently connect to the server.
- B. Server features other than the Remote Disable or Direct Update will be disabled.
- C. Any server features the application uses will only be available when it connects to the server.
- D. There will be no potential consequences as the runtime will safely disable server connectivity errors.

Correct Answer: C



QUESTION 4

What are the server-side configuration requirements to enable collection of analytics data for reporting?

- A. Configuration of parameters in the worklight.properties file to enable raw data collection and database connectivity.
- B. Configuration of parameters in the worklight-server.xml file to enable raw data collection and database connectivity.
- C. Configuration of parameters in the worklight-reports.properties file to enable raw data collection and JNDI database connectivityparameters in the resources.xml file.
- D. Configuration of parameters in the worklight-server.properties file to enable raw data collection and JDBC database connectivityparameters in the resources.xml file.

Correct Answer: A

QUESTION 5

What namespace is used for the Worklight API?

- A. W
- B. WL
- C. Worklight
- D. WLite

Correct Answer: B

[C2180-279 Practice Test](#)

[C2180-279 Exam Questions](#)

[C2180-279 Braindumps](#)