



C2180-279^{Q&As}

IBM Worklight V6.0 Mobile System Administration

Pass IBM C2180-279 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c2180-279.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

A developer wants to create a procedure called `getAccountInfo` in a Worklight SQL adapter to retrieve account information from a backend database. The procedure should invoke a SQL query that accepts an `accountID` as parameter and returns the `accountNumber`, `accountName` and `accountBalance` of the corresponding row in the `Account` table.

What is a correct implementation of the procedure in the adapter's JavaScript file?

- ☐ A.

```
var selectAccountStatement = WL.Server.createStatement(  
    "SELECT accountNumber, accountName, accountBalance FROM Account WHERE accountNumber = ?";  
  
function getAccountInfo(accountID) {  
  
    return WL.Server.invokeSQLStatement({  
        preparedStatement : selectAccountStatement,  
        parameters : [accountID]  
    });  
}
```
- ☐ B.

```
function getAccountInfo(accountID) {  
  
    var getAccountStatement = WL.Server.createStatement(  
        "SELECT accountNumber, accountName, accountBalance FROM Account WHERE accountNumber =  
        ?";  
  
    return WL.Server.invokeSQLStatement({  
        preparedStatement : selectAccountStatement,  
        parameters : [accountID]  
    });  
}
```
- ☐ C.

```
var selectAccountStatement = WL.Server.createStatement(  
    "SELECT accountNumber, accountName, accountBalance FROM Account WHERE accountNumber = ?";  
  
function getAccountInfo(accountID) {  
  
    return WL.Server.invokeSQLStatement({  
        preparedStatement : selectAccountStatement(accountID)  
    });  
}
```
- ☐ D.

```
function getAccountInfo(accountID) {  
  
    var selectAccountStatement = WL.Server.createStatement(  
        "SELECT accountNumber, accountName, accountBalance FROM Account WHERE accountNumber =  
        ?";  
  
    return WL.Server.invokeSQLStatement({  
        preparedStatement : selectAccountStatement(accountID)  
    });  
}
```

A. Option A

B. Option B



C. Option C

D. Option D

Correct Answer: A

QUESTION 2

Which of the following is not a client side push API?

A. WL.Client.Push.isPushSupported()

B. WL.Client.Push.isSubscribed()

C. WL.Client.Push.unsubscribe()

D. WL.Client.Push.poll()

Correct Answer: D

QUESTION 3

Which of the below connections are mandatory for push notifications to work? (Choose three) A. Client application should be able to connect to a APNS/C2DM server

B. Client application should be able to connect to Worklight server

C. Worklight server should be able to connect to a APNS/C2DM server

D. More than one OS platform is required

Correct Answer: ABC

QUESTION 4

Where in the Worklight project structure do Worklight.properties belong?

A. server\conf

B. resources\properties

C. server\lib

D. tomcat\worklight

Correct Answer: A

QUESTION 5



A Worklight mobile application uses a native page to display a real-time graph of the price of a stock symbol. The native page is invoked from a web page using the `WL.NativePage.show()` method and requires a parameter that contains the value of the stock symbol to display. To pass the value of "IBM" as a parameter to the native page using the `parm` variable, how should the variable be initialized before passing it to the method?

- A. `var parm = "IBM";`
- B. `var parm = ["IBM"];`
- C. `var parm = {symbol: "IBM"};`
- D. `var parm = ["symbol", "IBM"];`

Correct Answer: C

[C2180-279 PDF Dumps](#)

[C2180-279 VCE Dumps](#)

[C2180-279 Braindumps](#)