VCE & PDF
GeekCert.com

C4040-221^Q&As

AIX 7 Administration

Pass IBM C4040-221 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/C4040-221.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

The nmon output below illustrates typical load when the hosted application is running at peak times. What can be observed from the output?

A. Entitled CPU allocation is set too high.

B. Virtual processor allocation is set too low.

C. Enabling SMT4 would improve performance.

D. Processor folding is restricting available resources

Correct Answer: A

QUESTION 2

An administrator needs to download and install a later version of the IBM Systems Director Common Agent.

Which command would extract the contents of the installation package (SysDir6_3_2_Common_Agent_AIX.tar.gz) to a local directory?

A. unzip -l SysDir6_3_2_Common_Agent_AIX.tar.gz

B. geninstail -ue SysDir6_3_2_Common_Agent_AIX.tar.gz -d.

C. gunzip -cd SysDir6_3_2_Common_Agent_AIX.tar.gz | tar-xvf-

D. uncompress SysDir6_3_2_Common_Agent_AIX.tar.gz | installp -et

Correct Answer: C

QUESTION 3

Which is a benefit of dynamic tracking of Fibre Channel devices?

A. I/O failures are prevented with Fibre Channel tape devices.

B. SAN changes are automatically detected.

C. SAN disk arrays are created with a common set of disk attributes.

D. NPIV support is added for all AIX Fibre Channel adapters.

Correct Answer: B

QUESTION 4

A host has a single virtual Ethernet adapter (ent0) configured with only a default PVID, and the administrator is trying to determine why it cannot be used to reach any other system on the network. He suspects that it may be caused by a problem in the VLAN configuration.

How would the administrator determine the VLAN for which the adapter was configured?

A. Use the command \\'Isdev -I ent0\\' on the host to determine the port VLAN ID.

B. Use the command \\'Isattr-EI ent0\\' on the host to determine the port VLAN ID.

C. Look on the HMC to determine which VLAN is configured for the adapter.

D. Examine the Shared Ethernet Adapter on the Virtual I/O Server to determine which VLAN the adapter is using.

Correct Answer: C

QUESTION 5

An administrator wants to run secure commands as user1 from hosta to hostb using OpenSSH. Which actions will configure SSH trust?

A. Create a public and private key on hosta Copy contents of public key to hostb file /home/user1/.ssh/authorized_keys2

B. Create a public and private key on hostb Copy contents of private key to hosta file /home/user1/.ssh/authorized_keys2

C. Create a public and private key on hosta Copy contents of key to hostb file /usr/openssh/.ssh/authorized_keys2

D. Create a public and private key on hosta Copy contents of private key to hostb file /home/useM/ ssh/authorized_keys2

Correct Answer: A

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

https://www.geekcert.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: