



C4090-454^{Q&As}

IBM High-End Tape Technical Solutions V7

Pass IBM C4090-454 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c4090-454.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What is the maximum speed of a single EICON adapter in 3957-VFJ7 running R2.1 microcode?

- A. 2 Gbps
- B. 4 Gbps
- C. 8 Gbps
- D. 16 Gbps

Correct Answer: B

QUESTION 2

A customer is attaching a TS7740 with six TS1140 drives to an existing TS3500 which is used for open systems. The new tape drives and switches will be installed in an existing D23 frame with two TS1130 drives installed. What significant change does the customer need to be aware of with this installation?

- A. The existing TS1130 drives will need to be upgraded to TS1140
- B. The TS3500 will need an additional enhanced frame control assembly (FC 1451)
- C. The TS1 130 drives will have to be removed and installed in another frame of the TS3500
- D. The power requirements change and the power cord of the existing library frame must be upgraded

Correct Answer: D

QUESTION 3

A newly installed TS7720 Virtualization Engine has recently been integrated into a three-way grid. The logical volumes created in the other two systems are not properly being replicated to the new system. All local IBM and customer support resources have been exhausted in trying to determine the cause with no resolution in sight. What should be the next step to try to resolve the issue via IBM?

- A. Contact local PSR to escalate
- B. Contact the local SSR to escalate
- C. Contact the sales representative to escalate
- D. Contact the local software provider to escalate

Correct Answer: C



QUESTION 4

What is the maximum number of 3490 control units that can be defined in HOD for a TS7700?

- A. 4
- B. 8
- C. 16
- D. 256

Correct Answer: C

QUESTION 5

Which IBM Enterprise Tape function improves drive performance and reduces start/stop operation of the tape drive especially when writing many small objects to tape?

- A. Capacity Scaling
- B. Built-in Compression
- C. FastSync / Virtual Backhitch
- D. Media Re-Use for Multiple Generations

Correct Answer: C

[Latest C4090-454 Dumps](#)

[C4090-454 PDF Dumps](#)

[C4090-454 Brindumps](#)