



# C4090-454<sup>Q&As</sup>

IBM High-End Tape Technical Solutions V7

**Pass IBM C4090-454 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c4090-454.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

In a TS7740 two-way grid Cluster 0 is the production site and Cluster 1 is the remote DR site. The scratch volume category for the production site is 0012 and DR site's scratch volume category is 0022. Before a DR test is started, several DR system updates must be in place to protect the production scratch volumes from being allocated during the test. Assuming Selective Write Protect is enabled, which of the following is one step that must be taken?

- A. Update the DR TCDB volume entries to change the production volumes from 0012 to 0022
- B. Update the DR system's DEVSUPxx parmlib member to use a unique scratch volume category
- C. Disconnect the grid link connections to ensure production volumes are not updated in the remote cluster during the DR test
- D. Run the Return To Scratch process from the DR system to ensure the production and DR system volumes are in sync and protected during a DR test

Correct Answer: B

---

### QUESTION 2

A customer has TS1120 tape drives used with an inventory of 200 JA cartridges and 200 JB cartridges, all currently written by the TS1120 drives at the highest density format. The customer plans to install TS1140 drives and move the data to new JO cartridges. How many new JC cartridges are required? Assume all cartridges are full to capacity, and round up the answer to the nearest cartridge if required.

- A. 50
- B. 60
- C. 75
- D. 82

Correct Answer: B

---

### QUESTION 3

What indicates that the physical installation of a TS7720 Virtualization Engine is complete and available to the customer?

- A. HOD/IOCP is updated
- B. DF/SMS ACS routines are coded and tested
- C. Code 20-installed is written by the IBM SSR
- D. All items on the implementation plan are completed



Correct Answer: C

---

#### QUESTION 4

Which of the following is a point of information output from VEHSTATS?

- A. The active data distribution
- B. The percentage cache hit rate
- C. The usage of specific stacked volume cartridge
- D. The use of TS7700 resources of a batch job or subsystem

Correct Answer: B

---

#### QUESTION 5

A customer has the requirement to store large amounts of archive data on native tape which will be accessed rarely, as well as a smaller amount of data where fast access is important. Which IBM Enterprise Tape function provides the flexibility to meet both requirements?

- A. Speed Matching
- B. Capacity Scaling
- C. SkipSync / Virtual Backhitch
- D. Media Re-Use over multiple Generations

Correct Answer: B

[Latest C4090-454 Dumps](#)

[C4090-454 Exam Questions](#)

[C4090-454 Braindumps](#)