



# CAT-040<sup>Q&As</sup>

CA eHealth r6 Administrator Exam

**Pass CA CAT-040 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/cat-040.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by CA Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which benefit results from rolling up data?

- A. Rolled-up data can be retained indefinitely.
- B. Data is consolidated to reduce database size.
- C. Occasional spikes and dips in gauge data are retained.
- D. Averaged rolled-up data values provide a better representation of performance.

Correct Answer: B

---

### QUESTION 2

Before you can run custom Health and Service Level Reports, you need to make sure that: (Choose four)

- A. Report log files have been updated.
- B. Groups and group lists are populated.
- C. Service Profiles have been configured.
- D. User permissions have been configured.
- E. The database is set up and is operational.
- F. You have properly installed the CA eHealth client on the user's desktop.

Correct Answer: BCDE

---

### QUESTION 3

Recently, you have noticed that CA eHealth reporting seems to be inaccurate or incomplete. Furthermore, performance appears to be poorer than usual. Your colleague, Sue White, believes the issue relates to bad polling and suggests that you review discovery files and the relevant log files. To specifically address polling issues, what do you need to look for? (Choose three)

- A. Incorrect Umask settings
- B. Error messages in the poller log files
- C. Unexpected characters used in directory naming
- D. New devices that might need to be manually added to the poller configuration
- E. Elements that have changed based on change management, replaced hardware, or a new system identity

Correct Answer: ABC

---



#### QUESTION 4

Which discover variable is used to indicate where to truncate the DNS Name?

- A. NH\_NAME\_SRVC\_PAT
- B. NH\_FIND\_MIB2\_LANS
- C. NH\_DISCOVER\_RETRIES
- D. NH\_DISCOVER\_MIN\_SW\_PORTS

Correct Answer: A

---

#### QUESTION 5

Which poller device collects information from network probes?

- A. Fast Poller
- B. Import Poller
- C. Statistics Poller
- D. Conversation Poller

Correct Answer: D

[CAT-040 PDF Dumps](#)

[CAT-040 VCE Dumps](#)

[CAT-040 Study Guide](#)