



# CCB-400<sup>Q&As</sup>

Cloudera Certified Specialist in Apache HBase

## Pass Cloudera CCB-400 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/ccb-400.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cloudera  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

You are storing page view data for a large number of Web sites, each of which has many subdomains (www.example.com, archive.example.com, beta.example.com, etc.) Your reporting tool needs to retrieve the total number of page views for a given subdomain of a Web site. Which of the following rowkeys should you use?

- A. The reverse domain name (e.g., com.example.beta)
- B. The domain name followed by the URL
- C. The URL
- D. The URL followed by the reverse domain name

Correct Answer: C

---

### QUESTION 2

Given that the following is your entire dataset:

```
100 column=Managers:Name, timestamp=13313141762084, value=Steve 100 column=Manage:Salary,
timestamp=13313141762086, value=80000 100 column=Skills:Skill_1, timestamp=13313141762089, value=Hadoop
100 column=Skills:Skill_2, timestamp=13313141762092, value=HBase
```

How many regions will be read during a scan of the entire dataset?

- A. Four
- B. Two
- C. One
- D. Three

Correct Answer: A

---

### QUESTION 3

Which feature of HBase ensures predictable disk head seek performance within a RegionServer?

- A. Data is stored distributed in HDFS
- B. Data stored in HBase is sparse
- C. Data is stored sorted on row keys
- D. Data is stored as an uninterpreted array of bytes

Correct Answer: C

---



#### QUESTION 4

You have an "Employees" table in HBase. The Row Keys are the employees' IDs. You would like to retrieve all employees who have an employee ID between 'user\_100' and 'user\_110'. The shell command you would use to complete this is:

- A. `scan\ 'Employees\ ', {STARTROW =>'user_100', STOPROW =>'user_110'}`
- B. `get\ 'Employees\ ', {STARTROW =>'user_100', STOPROW =>'user_110'}`
- C. `scan\ 'Employees\ ', {STARTROW =>'user_100', SLIMIT => 10}`
- D. `scan\ 'Employees\ ', {STARTROW =>'user_100', STOPROW =>'user_110'}`

Correct Answer: D

---

#### QUESTION 5

Given that following is your entire dataset:

100 column=Managers:Name, timestamp=13313141762084, value=Steve 100 column=Manage:Salary, timestamp=13313141762086, value=80000 100 column=Skills:Skill\_1, timestamp=13313141762089, value=Hadoop 100 column=Skills:Skill\_2, timestamp=13313141762092, value=HBase How many sets of physical files will be read during a scan of the entire dataset immediately following a major compaction?

- A. Two
- B. One
- C. Three
- D. Four

Correct Answer: B

[CCB-400 Practice Test](#)

[CCB-400 Exam Questions](#)

[CCB-400 Brindumps](#)