



# CLAD<sup>Q&As</sup>

Certified LabVIEW Associate Developer Examination

## Pass NI CLAD Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/clad.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by NI Official Exam Center


- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

After this VI has run 3 times, what value is displayed in the indicators Loop Iterations and Time?



- A. Loop Iterations = 3, Time = Seconds between the 2nd and 3rd time the VI ran.
- B. Loop Iterations = 0, Time = Seconds between the 1st and 3rd time the VI ran.
- C. Loop Iterations = 3, Time = Seconds between the 1st and 3rd time the VI ran.
- D. Loop Iterations = 0, Time = Seconds between the 2nd and 3rd time the VI ran.

Correct Answer: A

### QUESTION 2

How do you document a VI so that the description appears in the Show Context Help popup window?

- A. Use the VI Properties Documentation window
- B. Type in the Show Context Help window
- C. Create a free label on the front panel
- D. Edit the LabVIEW help files

Correct Answer: A

### QUESTION 3



You can use all of the following data types as inputs to the case selector terminal except:

- A. Doubles
- B. Enumerated type values
- C. Strings
- D. Integers

Correct Answer: A

#### QUESTION 4

Which of the following can not be used to transfer data?

- A. Semaphores
- B. Queues
- C. Notifiers
- D. Local variables


Correct Answer: A

#### QUESTION 5

This VI is started with a value of 7 in the Repetitions control.

The SubVI Grind.vi returns an error the fifth time it runs.

What is the value in the Numeric indicator after this VI has run?



- A. 6
- B. 5
- C. 4



D. 7

Correct Answer: B

[Latest CLAD Dumps](#)

[CLAD PDF Dumps](#)

[CLAD Practice Test](#)