



# COG-310<sup>Q&As</sup>

IBM Cognos TM1 Developer

## Pass IBM COG-310 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/cog-310.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

An application developer is creating a sales forecasting application that will look at sales trends by day, including weekends and holidays.

Which of the following time structures should be used?

- A. Discrete
- B. Automatic
- C. Continuous
- D. Constant

Correct Answer: C

---

### QUESTION 2

Which of the following variable types must be defined for a variable to be used for a simple or consolidated element?

- A. String
- B. Numeric
- C. Other
- D. Ignore

Correct Answer: A

---

### QUESTION 3

Which of the following attributes can be used to display element names in multiple languages?

- A. Text
- B. String
- C. Alias
- D. Format

Correct Answer: C

---

### QUESTION 4

An application developer would like to modify a TI process created to build a dimension using an ODBC data source. Logical statements must be added to the Metadata script.



What must be done to this process before modifying the scripts?

- A. Copy the statements inside the generated statement area.
- B. Copy the statements below the generated statement area.
- C. Copy the statements to the Data tab.
- D. Copy the statements to the Prolog tab.

Correct Answer: B

---

#### QUESTION 5

When executing a script to load data into the Reporting cube, the application developer must manually indicate which year the data represents.

Which of the following should be applied to the script?

- A. Variables
- B. Parameters
- C. Metadata
- D. Attributes

Correct Answer: B

[COG-310 VCE Dumps](#)

[COG-310 Practice Test](#)

[COG-310 Exam Questions](#)