

COG-310^{Q&As}

IBM Cognos TM1 Developer

Pass IBM COG-310 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/cog-310.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.geekcert.com/cog-310.html 2024 Latest geekcert COG-310 PDF and VCE dumps Download

QUESTION 1

A. Rule
B. Hierarchy
C. Turbo Integrator
D. Relational Database
Correct Answer: C
QUESTION 2
Why would an application developer define the contents of a variable as other?
A. Because the variable will not be used in the script.
B. Because the variable will map to a dimension.
C. Because the variable will be used in a function.
D. Because the variable will not be used in a function.

Which of the following is the best location to calculate a formula once a month, when the data is updated?

QUESTION 3

An application developer needs to know the last time the Sales Forecast cube was updated. The cube file, including the date and time stamp, can be found in which of the following locations?

A. In the data directory.

B. In the data file.

C. On the web server.

D. On the admin server.

Correct Answer: A

QUESTION 4

Why is the same error generated from TI processes repeated multiple times?

A. The TI process was executed more than one time.



https://www.geekcert.com/cog-310.html 2024 Latest geekcert COG-310 PDF and VCE dumps Download

- B. The chore was executed more than one time.
- C. The TM1 server ran the process for each cell in the cube.
- D. The script in the process ran for each row in the source.

Correct Answer: D

QUESTION 5

Which of the following spreading methods may use a lookup cube as the basis for the spread?

- A. Proportional
- B. Repeat
- C. Percent change
- D. Relative proportional

Correct Answer: D

COG-310 PDF Dumps

COG-310 VCE Dumps

COG-310 Study Guide