



# CWNA-106<sup>Q&As</sup>

Certified Wireless Network Administrator

**Pass CWNP CWNA-106 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/cwna-106.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by CWNP  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

What can cause an excessively high VSWR (Voltage Standing Wave Ratio) in a WLAN RF transmission line?

- A. An impedance mismatch in the RF cables and connectors
- B. Reflected direct current (DC) voltage on the main RF signal line
- C. Attenuation of the RF signal as it travels along the main signal path
- D. Crosstalk (inductance) between adjacent RF conductors

Correct Answer: A

---

### QUESTION 2

You are onsite with a client to perform a post-deployment site survey. When verifying a multiple channel VoWiFi deployment using a VoWiFi handset, which aspect is most important?

- A. Performing protocol analysis with a single wireless adapter that is scanning all channels in use
- B. Testing a constant conversation or handset tone while roaming from area to area, or performing an active survey
- C. Configuring DSCP-to-802.11e QoS maps on the handset for each access category.
- D. Verifying the VHT functionality to handle the call volume incurred by a single VoIP phone call.

Correct Answer: B

---

### QUESTION 3

XYZ Company has decided to install an 802.11 WLAN system that will support 1000 wireless users, but they are concerned about network security. XYZ is interested in deploying standardized security features. In addition to WPA2-Enterprise with PEAP and role-based access control, XYZ would like to support management frame protection as well as a fast secure roaming protocol for future mobile handsets.

As XYZ Company selects a product to deploy, what two IEEE amendments, which are included in 802.11-2012, should be supported to provide the management frame protection and fast secure roaming security features?

- A. 802.11j and 802.11k
- B. 802.11z and 802.11w
- C. 802.11r and 802.11w
- D. 802.11r and 802.11k

Correct Answer: C

---



---

#### QUESTION 4

Which data rate is supported by 802.11g radios that is not supported by 802.11a radios?

- A. 9 Mbps
- B. 11 Mbps
- C. 12 Mbps
- D. 54 Mbps
- E. 65 Mbps
- F. 130 Mbps

Correct Answer: B

---

#### QUESTION 5

What WLAN system feature is required to produce a scenario with the following configuration on a single access point?  
(Choose 2)

1.

SSID = Guest / BSSID = AA:AA:AA:AA:AA:AA /

VLAN = 22 / Subnet = 192.168.22.0 / RF Channel = 6

2.

SSID = Corporate / BSSID = BB:BB:BB:BB:BB:BB /

VLAN = 33 / Subnet = 192.168.33.0 / RF Channel = 6 / User Type A

3.

SSID = Corporate / BSSID = BB:BB:BB:BB:BB:BB /

VLAN = 44 / Subnet = 192.168.44.0 / RF Channel = 6 / User Type B

- A. Multiple WLAN Profiles
- B. Call Admission Control
- C. Virtual Cell with SCA
- D. Access Categories
- E. User-based authentication
- F. Dual-radio AP hardware
- G. Integrated DHCP server



Correct Answer: AE

[Latest CWNA-106 Dumps](#)

[CWNA-106 PDF Dumps](#)

[CWNA-106 VCE Dumps](#)