



CWNA-106^{Q&As}

Certified Wireless Network Administrator

Pass CWNP CWNA-106 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/cwna-106.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CWNP
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A company has hired you to perform a pre-deployment site survey of their facility. During an interview, the network manager informs you that the new wireless network must use 5 GHz bands and OFDM, and VoWiFi handsets will be used extensively over the wireless network.

What items do you need to include in the RF site survey report? (Choose 2)

- A. A heat map demonstrating signal quality in areas where VoWiFi is supported.
- B. Codec types and sampling rates for each VoWiFi phone
- C. Security parameters and configuration steps for VoWiFi handsets.
- D. Test results from an active survey with a VoWiFi handset
- E. Results of OFDM versus ERP performance in each BSA

Correct Answer: AD

QUESTION 2

What factors are taken into account when calculating the Link Budget of a point-to-point outdoor WLAN bridge link?

- A. Antenna height
- B. Transmit power
- C. Operating frequency
- D. Transmit antenna gain

Correct Answer: BCD

QUESTION 3

In addition to throughput enhancements, what other improvements does a dual-band 802.11ac AP provide when compared with 802.11a/g APs? (Choose 2)

- A. Introduces "fast transition" roaming protocols for VoWiFi phones
- B. Better link reliability between 802.11a/b/g client devices and 802.11ac APs
- C. Improves service quality for real-time applications at greater distances
- D. Increases in receive sensitivity enhance RTLS location accuracy
- E. Stronger security with more robust encryption modes.

Correct Answer: BC



QUESTION 4

You are selecting antennas for a WLAN operating in the 5 GHz frequency band. What specifications should be evaluated for an antenna before it is implemented in this WLAN system?

- A. 802.11ad compatibility
- B. TPC support
- C. Impedance in Ohms
- D. Return Loss Rating

Correct Answer: C

QUESTION 5

The client devices that connect to your network include a mix of dual-band 802.11n and 802.11ac, single-band 802.11b/g/n, and some 802.11a/g/n. Your access points are configured with the same SSID on both the 2.4 and 5 GHz bands. The APs are also configured to prioritize client connectivity to 5 GHz.

How does an AP perform band steering to encourage clients to use 5 GHz?

- A. When the client sends a probe request in the 2.4GHz band, the AP may reply with information about the 5 GHz BSS.
- B. The AP may ignore the initial probe requests or 802.11 authentication requests sent in the 2.4 GHz band by dual-band clients
- C. The AP may allow an 802.11 association with the client in the 2.4 GHz band, then send unicast channel switch announcements to the client announcing the 5 GHz channel as the new channel.
- D. The AP may allow an 802.11 association with the client in the 2.4 GHz band, then the AP may perform a transparent client handoff by transferring the client's MAC address to the 5 GHz radio.

Correct Answer: B

[CWNA-106 PDF Dumps](#)

[CWNA-106 Study Guide](#)

[CWNA-106 Brindumps](#)