



CWNA-106^{Q&As}

Certified Wireless Network Administrator

Pass CWNP CWNA-106 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/cwna-106.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CWNP
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

ABC Hospital is planning a Wi-Fi infrastructure upgrade where the 802.11b/g APs (HR/DSSS and ERP) would be replaced with new dual-radio 802.11n/802.11ac (HT and VHT) APs. ABC wants to minimize the time and cost associated with performing a new site survey, so they will be mounting all of the new APs in the same locations and with the same cable drops as the existing APs.

What is one performance drawback with this deployment method?

- A. Multipath will increase, causing excessive layer-2 retransmissions. The retransmissions will cause latency for VoWiFi handsets.
- B. Increased receiver sensitivity on the VHT APs will cause them to continually change channels to avoid co-channel interference.
- C. If the existing UTP cabling is not Category 3 or better, the total Ethernet backhaul for each AP will be limited to 100 Mbps.
- D. The existing WLAN plan, including the AP locations, may not provide the benefits seen in HT and VHT 802.11 PHY capabilities.

Correct Answer: D

QUESTION 2

What is the intended use for the WLAN hardware known as a pole or mast mount unit?

- A. Mounting a lightning arrester to a grounding rod
- B. Mounting an omnidirectional antenna to a mast
- C. Mounting an RF amplifier to a dipole antenna
- D. Mounting a PoE injector to a perforated radome
- E. Mounting an access point to a site survey tripod

Correct Answer: B

QUESTION 3

AP-1 is a 3x3:2 AP. STA-3 is a 3x3:3 client. What is the maximum number of spatial streams that can be used for a downlink HT-OFDM transmission from AP-1 to STA-3?

- A. One spatial stream, because the definition of the AP indicates that it is capable of only one spatial stream.
- B. Three spatial streams, because the definition of the client indicates that it is capable of only three spatial streams.



- C. Two spatial streams, because the definition of the AP indicates that it is capable of only two spatial streams.
- D. Three spatial streams, because the definition of the AP indicates that it is capable of only three spatial streams.

Correct Answer: C

QUESTION 4

You are being interviewed by ABC Company for employment as a wireless site survey expert. The interviewing manager asks you what items should be included in a site survey report generated as part of a manual site survey process.

What answer would be accurate?

- A. Itemized list of equipment, licenses, and support contracts required for the facility
- B. RF heat map illustrating coverage and signal quality for each frequency band
- C. Documentation proving proper entry of wall material types into the site survey software
- D. Documentation noting how each WLAN user group will authenticate to the network

Correct Answer: B

QUESTION 5

What statements about the SSID are true? (Choose 2)

- A. The SSID is a security session identifier used in RSNs.
- B. The SSID must be included in an association request frame.
- C. The SSID is an alphanumeric value assigned to device manufacturers by the IEEE.
- D. The SSID is a pseudo-random number assigned to each client by an AP.
- E. The SSID is an alphanumeric value with a maximum length of 32 octets.
- F. When configuring a new network, creating an SSID is optional.

Correct Answer: BE

[Latest CWNA-106 Dumps](#)

[CWNA-106 VCE Dumps](#)

[CWNA-106 Exam Questions](#)