



CWNA-106^{Q&As}

Certified Wireless Network Administrator

Pass CWNP CWNA-106 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/cwna-106.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CWNP
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

For what likely reasons might an organization choose to purchase an AP designed for outdoor deployment to use as an indoor WLAN AP at an industrial facility? (Choose 2)

- A. Aesthetic requirements
- B. Physical security and theft prevention
- C. Protection from environmental conditions
- D. Reduce transient RF interference
- E. 802.11 security compliance

Correct Answer: BC

QUESTION 2

If an 802.11 RF transmission reaches a receiving antenna simultaneously by direct and reflected paths, what effect will the reflected signal have on the signal that took the direct line-of-sight path?

- A. The direct signal will only be received if the reflected signal is more than 180 degrees out of phase.
- B. The direct signal cannot be received if the indirect signal is less than 90 degrees out-of-phase.
- C. The signals will be distorted if the indirect signal arrives simultaneously at the receiver, but 90 degrees out-of-phase.
- D. If the signals are in-phase, they will combine together, cancel one another out, and create a null.

Correct Answer: C

QUESTION 3

In an 802.11n 2.4 GHz BSS, what prevents each station from using the full network bandwidth (e.g. 130 Mbps) for user data throughput when multiple clients are actively exchanging data with the AP? (Choose 2)

- A. Radio receiver hardware cannot process data as quickly as it can be transmitted.
- B. Half of the bandwidth is allocated to uplink traffic and half to downlink traffic.
- C. The DCF and EDCA coordination functions require backoff algorithms
- D. WLAN devices cannot detect collisions and must receive positive frame acknowledgment.
- E. APs do not have sufficient wired connection speeds to the LAN.

Correct Answer: CD



QUESTION 4

In WLAN security, which authentication method always create Layer 2 dynamic encryption keys?

- A. HTTPS Captive Portal
- B. WEP
- C. EAP-TLS
- D. Shared Key

Correct Answer: C

QUESTION 5

When planning an access point deployment that utilizes Power over Ethernet (PoE) switches at the network edge, what design decision could adversely affect the operation of 802.3-2012, Clause 33 APs?

- A. All ports on the Ethernet switch will be supporting Class 3 PoE powered devices.
- B. Some APs are connected to a PoE switch and are also receiving power from an AC outlet.
- C. The Ethernet switch uplink ports are not connected to an 802.3-2012, Clause 33- compliant core or distribution Ethernet switch.
- D. A gigabit Ethernet switch port supporting an 802.11a/g AP auto-negotiates to 100 Mbps.

Correct Answer: A

[CWNA-106 PDF Dumps](#)

[CWNA-106 VCE Dumps](#)

[CWNA-106 Practice Test](#)